

## Appendix A

### List of Symbols

Symbol	description
$A_e$	Wind direction in natural earth coordinates
$AEXP$	Approximate expansion of the mesoscale grid (km)
$B$	A humidity variable; $(1 - \frac{RH}{100\%})^2$
$C_1$	Term used in calculations for the lambert-conformal projection
$C_2$	$R_e \cos \phi_c$
$d_{ijk}$	Distance of observation $k$ from gridpoint $(i, j)$
$d_m$	Effective distance used in ellipse and banana schemes
$D$	Difference value (Observation - First-guess)
$e_s$	Saturation vapor pressure
$f$	Coriolis parameter
$g$	Acceleration due to gravity ( $9.8 \text{ m s}^{-1}$ )
$G_1$	Current-guess field in Cressman scheme
$G_2$	Improved field in Cressman scheme
$i$	Gridpoint index; subscript $o$ indicates the gridpoint nearest an observation point; subscript $c$ indicates the center of curvature of the wind field at an observation point; subscript $s$ indicates position of a station
$I_{nex}$	Unexpanded grid dimension in the $y$ direction
$j$	Gridpoint index; subscript $o$ indicates the gridpoint nearest an observation point; subscript $c$ indicates the center of curvature of the wind field at an observation point; subscript $s$ indicates position of a station
$J_{nex}$	Unexpanded grid dimension in the $x$ direction
$k$	Observation index
$k_m$	Coefficient in the weighting factor for Barnes analysis.
$\ell$	A level above serious diurnal effects, for calculation of surface pressure
$L$	Latent heat of condensation ( $2.5 \times 10^6 \text{ J kg}^{-1}$ )
$m_a$	Molecular weight of dry air ( $28.97 \text{ g mol}^{-1}$ )
$m_v$	Molecular weight of water ( $18.016 \text{ g mol}^{-1}$ )
$n$	Number of observations which include a particular gridpoint within their regions of influence; distance along a perpendicular to the left of the flow; cone constant for map projections
$O$	Observation value
$p$	Pressure

$p_\ell$	Pressure at 1000 or 850 mb for calculation of the geopotential height at new nonmandatory levels ( $\phi_n$ ); pressure at a level above diurnal variations for calculation of sea-level pressure or surface pressure
$p_n$	Pressure at a new nonmandatory level for calculation of the geopotential height at new nonmandatory levels ( $\phi_n$ )
$p_o$	Sea-level pressure
$p_s$	Surface pressure
$p'_s$	Preliminary estimate of surface pressure, used in calculating surface pressure
$p_t$	Constant pressure of the model top
$p^*$	$p_s - p_t$
$q$	Specific humidity
$q_s$	Saturation specific humidity
$r_{ij}$	Distance from the center of curvature to the gridpoint ( $i, j$ )
$r_k$	Radius of curvature of the wind field at the $k$ th observation point; conversion factor for $\text{m s}^{-1}$ to kts
$R$	Radius of influence for objective analysis schemes
$R_d$	Ideal gas constant for dry air ( $287.04 \text{ J kg}^{-1} \text{ K}^{-1}$ )
$R_e$	Radius of the earth (6370 km)
$RH$	Relative humidity
$t$	time
$T$	Temperature
$\overline{T}$	Mean temperature between the surface and sea-level, for calculating surface or sea-level pressure
$T_c$	A critical temperature used in defining the fictitious sea-level temperature $T'_o$
$T_g$	Ground temperature
$T_\ell$	Temperature at the 850 or 1000 mb level for calculation of the geopotential height of a new nonmandatory level ( $\phi_n$ ); Temperature of a level above diurnal variations for the calculation of surface pressure and sea-level pressure
$T_n$	Temperature at a new nonmandatory level for calculation of the geopotential height of a new nonmandatory level ( $\phi_n$ )
$T_o$	A preliminary fictitious sea-level temperature used in calculating surface pressure
$T'_o$	Fictitious sea-level temperature for calculating surface or sea-level pressure
$T_s$	Surface temperature
$T'_s$	Approximate surface temperature without serious diurnal effects, for calculating surface or sea-level pressure
$T_v$	Virtual temperature
$T_1$	Current-guess temperature used in iterative procedure for converting $T_v$ to $T$

$T_2$	New approximation of temperature, based on $T_1$ , calculated in the iterative procedure for converting $T_v$ to $T$
$u$	$x$ -component of the wind
$u_e$	$x$ -component of the wind in natural earth coordinates
$u_g$	$x$ -component of the geostrophic wind
$v$	$y$ -component of the wind
$v_c$	Critical wind speed for determining analysis scheme
$v_e$	$y$ -component of the wind in natural earth coordinates
$v_g$	$y$ -component of the geostrophic wind
$\mathbf{V}$	Two-dimensional wind vector
$V_e$	Wind speed in natural earth coordinates
$w$	mixing ratio
$W_{ijk}$	Weighting coefficient due to the $k$ th observation's influence on the gridpoint $(i, j)$
$x$	Horizontal grid coordinate, increasing from left to right
$x_D$	Distance in the $x$ direction from the lower left corner to the center of the mesoscale grid
$y$	Horizontal grid coordinate, increasing from bottom to top
$y_D$	Distance in the $y$ direction from the lower left corner to the center of the mesoscale grid
$z_s$	Surface height
$\alpha$	Correction coefficient
$\alpha_{i,j}$	Unsmoothed meteorological variable defined at gridpoints
$\hat{\alpha}_{i,j}$	Partially smoothed value of $\alpha_{i,j}$
$\alpha_{i,j}^*$	Smoothed value of $\alpha_{i,j}$
$\alpha_m$	Angle between the direction in earth coordinates and the direction in the mesoscale grid coordinates
$\beta$	Elongation of ellipses and curved ellipses for Ellipse and Banana schemes
$\gamma$	Lapse rate
$\gamma_s$	Standard atmospheric lapse rate ( $6.5 \times 10^{-3} \text{ K m}^{-1}$ )
$\gamma_{57}$	Lapse rate between 500 and 700 mb
$\gamma_{78}$	Lapse rate between 700 and 850 mb
$\delta$	Maximum difference allowed between an observations difference value and the average of difference values at nearby stations
$\epsilon$	Ratio of molecular weights of water and dry air (0.622)
$\zeta_r$	Relative vorticity; $\frac{\partial v}{\partial x} - \frac{\partial u}{\partial y}$
$\theta_{ij}$	Angle from the positive $x$ -direction to the line between the center of curvature of the wind field and the gridpoint $(i, j)$
$\theta_k$	Angle from the positive $x$ -direction to the line between the center of curvature of the wind field at the $k$ th observation point and the $k$ th observation point
$\lambda$	Convergence coefficient for weight factor in Barnes analysis

$\lambda_c$	Longitude of the center of the mesoscale grid
$\lambda_o$	Longitude of an observation
$\lambda_1$	$n(\lambda_o - \lambda_c)$ , where $n$ is the cone constant
$\nu$	$y$ -coordinate of interpolation point
$\xi$	$x$ -coordinate of interpolation point
$\rho_s$	Surface density
$\sigma$	Vertical coordinate of the model (Eq. 2.1)
$\dot{\sigma}$	Vertical velocity in $\sigma$ coordinates: $\frac{d\sigma}{dt}$
$\phi$	Geopotential
$\phi_c$	Latitude at which the map projections are exact
$\phi_\epsilon$	Geopotential at the 1000 or 850 mb level
$\phi_n$	Geopotential of a new pressure level
$\phi_o$	Latitude of observation

---