

WPS – Description of General Functions

Michael Duda




2007 WRF Users Tutorial

Purpose of this Lecture

In this lecture, our goals are to:

- 1) Understand the purpose of the WPS
- 2) Learn what each component of the WPS does

The details of *actually running* the WPS will be covered in a second lecture!



Purpose of the WPS



The purpose of the WPS is to prepare input to WRF for real-data simulations:

1. Defines simulation domain and nested domains
2. Computes latitude, longitude, map scale factors, Coriolis parameters at every grid point
3. Interpolates time-invariant terrestrial data to simulation grids (e.g., terrain height and soil type)
4. Interpolates time-varying meteorological fields from another model onto simulation domains





ARW Modeling System Flowchart

WRF ARW Modeling System Flow Chart (for WRFV2)





NMM Modeling System Flowchart

WRF NMM Modeling System Flow Chart (for WRFV2)



WPS Program Flowchart




Function of WPS Components

- geogrid (think geographical)
 - Define size/location of model domains and interpolate static terrestrial fields to simulation grids
- ungrib
 - Extract meteorological fields from GRIB files
- metgrid (think meteorological)
 - Horizontally interpolate meteorological fields to simulation grids

*NB: Vertical interpolation takes place within
real.exe*




The *geogrid* program




The *geogrid* program

- Define projection, location, and dimensions of simulation domains, including nested domains
- Compute latitude, longitude, map scale factor, and Coriolis parameters at each grid point
- Horizontally interpolate static terrestrial data to each grid point
 - Topography height, land use category, soil type, vegetation fraction, monthly surface albedo, etc.






Geogrid: Defining model domains

- First, we must choose a map projection to use for the domains
 - The real earth is (roughly) an ellipsoid
 - But WRF computational domains are defined by rectangles in the plane – maps
- NMM uses a rotated lat/lon projection
- ARW can use one of the following projections:
 1. Lambert conformal
 2. Mercator
 3. Polar stereographic




Why does ARW support 3 projections?

Rather than rotate the area of the model domain to an optimal position w.r.t. the projection plane, a projection appropriate to the domain location is chosen




Geogrid: Defining Model Domains

- Define projection of domains with (at most) the following parameters
 - **MAP_PROJ**: 'lambert', 'mercator', 'polar', or 'rotated_ll'
 - **TRUELAT1**: First true latitude
 - **TRUELAT2**: Second true latitude (only for Lambert conformal)
 - **STAND_LON**: The meridian parallel to y-axis
- All parameters reside in the file *namelist.wps*





Geogrid: Defining Model Domains



- Define the area covered (dimensions and location) by coarse domain using the following:
 - **REF_LAT, REF_LON:** The (lat,lon) of a known location in the domain (*by default, the center point of the domain*)
 - **DX, DY:** Grid distance where map factor = 1
 - **E_WE:** Number of velocity points in west-east direction for ARW; number of mass points in odd rows for NMM
 - **E_SN:** Number of velocity points in south-north direction for ARW; number of rows for NMM





Geogrid: Defining ARW Domains



Geogrid: Defining ARW Domains




Geogrid: Defining NMM Domains




Geogrid: Nesting Basics

- A *nested domain* is a domain that is wholly contained within its *parent domain* and that receives information from its parent, and that may also feed information back to its parent
 - A nested domain has exactly one parent
 - A domain (coarse or nested) may have one or more children
- Nests *on the same nesting level* must not overlap in coverage!





Geogrid: Nesting Example

Example configuration – 4 domains




Each domain is assigned a *domain ID #*




Geogrid: Defining Nested Domains

- Define the dimensions and location of nested domains using:
 - **PARENT_ID**: Which domain is the parent?
 - **PARENT_GRID_RATIO**: What is the ratio between grid spacing in parent to grid spacing in this nest?
 - **I_PARENT_START**: *i*-coordinate in parent of this nest's lower-left corner
 - **J_PARENT_START**: *j*-coordinate in parent of this nest's lower-left corner
 - **E_WE**: Number of velocity points in west-east direction for ARW
 - **E_SN**: Number of velocity points in south-north direction for ARW



Geogrid: Defining Nested Domains



The grid spacing (dx) of domain 2 is determined by grid spacing of domain 1 and the *parent_grid_ratio*

NB: For NMM, the parent_grid_ratio is always 3!




Geogrid: Interpolating Static Fields

- Given definitions of all computational grids, interpolate terrestrial, time-invariant fields
 - Terrain height
 - Land use categories
 - Soil type (top & bottom layer)
 - Annual mean soil temperature
 - Monthly vegetation fraction
 - Monthly surface albedo



Geogrid: Interpolating Static Fields



In general, source data are given on a different projection from the model grid.




Geogrid: Interpolation Options

- 4-point bilinear
- 16-point overlapping parabolic
- 4-point average (weighted or unweighted)
- 16-point average (weighted or unweighted)
- Grid cell average
- Nearest neighbor
- Breadth-first search



Why have so many interpolation options?

- Different interpolators work best for different fields
 - Some interpolators preserve positive definiteness
 - Some interpolators produce “smoother” fields
 - Some interpolators are best suited for discrete or categorical fields
- Having a choice of how to interpolate fields is good!
 - We’ll see in the second lecture how several different options can be used for different regions of the same field




Geogrid: Program Flexibility

- *geogrid* is flexible enough to ingest and interpolate new static fields
 - handles either continuous or categorical fields
- New data sets must be written to simple binary format
- User needs to add an entry to the file
GEOGRID.TBL



Geogrid: Program Flexibility

- The GEOGRID.TBL file determines
 1. Which fields will be produced by geogrid
 2. What sources of data will be used
 3. How the data will be interpolated/smoothed
 4. Any derived fields (e.g., dominant cat., df/dx)
- Acceptable defaults exist in GEOGRID.TBL, so user will not generally need to edit the file (*but more on this in later lecture!*)



Geogrid: Program Flexibility

- Format of GEOGRID.TBL file is simple text, with specifications of the form *<keyword>=<value>*
- Example entry for new landuse data set:

```
=====
name=LANDUSEF
    priority=2
    dest_type=categorical
    z_dim_name=land_cat
    interp_option=30s:nearest_neighbor
    abs_path=30s:/users/duda/Houston/
=====
```



Geogrid: Program Flexibility


- The GEOGRID.TBL file also allows user to change which interpolation methods are used for each field

- Example:

```
interp_option=sixteen_pt
```

or

```
interp_option=four_pt+average_4pt
```



Geogrid: Program Flexibility


- Other options in the GEOGRID.TBL include smoothing options and slope calculation

- Example:

```
smooth_option=smth-desmth
```

```
smooth_passes=2
```

- More complete information on the available options may be found in Chapter 3 of the User's Guide



Geogrid: Program Output

- The parameters defining each domain, plus interpolated static fields, are written using the WRF I/O API
 - One file per domain for ARW
 - One file per *nesting level* for NMM
- Filenames: `geo_em.d0n.nc`, or
`geo_nmm.d01.nc`, `geo_nmm_nest.l0k.nc`
(where *n* is the domain ID # and *k* is the nest level)
- Example:

`geo_em.d01.nc`

`geo_nmm.d01.nc`

`geo_em.d02.nc` (nest)




`geo_nmm_nest.l01.nc` (nest level)

`geo_em.d03.nc` (nest)



`geo_nmm_nest.l02.nc` (nest level)



Geogrid: Example Output




The *ungrib* program



The *ungrib* program

- Read GRIB Edition 1 and GRIB Edition 2 files
- Extract meteorological fields
- If necessary, derive required fields from related ones
 - E.g., Compute RH from specific humidity
- Write requested fields to an intermediate file format




Ungrib: Vtables

How does ungrib know which fields to extract?

Using Vtables

- Vtables are files that give the GRIB codes for fields to be extracted from GRIB input files
- One Vtable for each source of data
- Vtables are provided for: NAM 104, NAM 212, GFS, AGRMET, and others




Ungrib: Example Vtable

GRIB1 Param	Level Type	From Level1	To Level2	UNGRIB Name	UNGRIB Units	UNGRIB Description
11	100	*		T	K	Temperature
33	100	*		U	m s-1	U
34	100	*		V	m s-1	V
52	100	*		RH	%	Relative Humidity
7	100	*		HGT	m	Height
11	105	2		T	K	Temperature at 2 m
52	105	2		RH	%	Relative Humidity at 2 m
33	105	10		U	m s-1	U at 10 m
34	105	10		V	m s-1	V at 10 m
1	1	0		PSFC	Pa	Surface Pressure
130	102	0		PMSL	Pa	Sea-level Pressure
144	112	0	10	SM000010	kg m-3	Soil Moist 0-10 cm below grn layer (Up)
144	112	10	40	SM010040	kg m-3	Soil Moist 10-40 cm below grn layer
144	112	40	100	SM040100	kg m-3	Soil Moist 40-100 cm below grn layer
144	112	100	200	SM100200	kg m-3	Soil Moist 100-200 cm below gr layer
85	112	0	10	ST000010	K	T 0-10 cm below ground layer (Upper)
85	112	10	40	ST010040	K	T 10-40 cm below ground layer (Upper)
85	112	40	100	ST040100	K	T 40-100 cm below ground layer (Upper)
85	112	100	200	ST100200	K	T 100-200 cm below ground layer (Bottom)
91	1	0		SEAICE	proprtn	Ice flag
81	1	0		LANDSEA	proprtn	Land/Sea flag (1=land,2=sea in GRIB2)
7	1	0		HGT	m	Terrain field of source analysis
11	1	0		SKINTEMP	K	Skin temperature (can use for SST also)
65	1	0		SNOW	kg m-2	Water equivalent snow depth
223	1	0		CANWAT	kg m-2	Plant Canopy Surface Water
224	1	0		SOILCAT	Tab4.213	Dominant soil type category
225	1	0		VEGCAT	Tab4.212	Dominant land use category



Ungrib: GRIB2 Vtable Entries

metgrid	GRIB2	GRIB2	GRIB2	GRIB2
Description	Discp	Catgy	Param	Level
Temperature	0	0	0	100
U	0	2	2	100
V	0	2	3	100
Relative Humidity	0	1	1	100
Height	0	3	5	100
Temperature at 2 m	0	0	0	103
Relative Humidity at 2 m	0	1	1	103
U at 10 m	0	2	2	103
V at 10 m	0	2	3	103
Surface Pressure	0	3	0	1
Sea-level Pressure	0	3	1	101
Soil Moist 0-10 cm below grn layer (Up)	2	0	192	106
Soil Moist 10-40 cm below grn layer	2	0	192	106
Soil Moist 40-100 cm below grn layer	2	0	192	106
Soil Moist 100-200 cm below gr layer	2	0	192	106
Soil Moist 10-200 cm below gr layer	2	0	192	106
T 0-10 cm below ground layer (Upper)	0	0	0	106
T 10-40 cm below ground layer (Upper)	0	0	0	106
T 40-100 cm below ground layer (Upper)	0	0	0	106
T 100-200 cm below ground layer (Bottom)	0	0	0	106
T 10-200 cm below ground layer (Bottom)	0	0	0	106
Ice flag	0	2	0	1
Land/Sea flag (1=land, 0 or 2=sea)	2	0	0	1
Terrain field of source analysis	2	0	7	1
Skin temperature (can use for SST also)	0	0	0	1
Water equivalent snow depth	0	1	13	1
Dominant soil type cat. (not in GFS file)	2	3	0	1
Dominant land use cat. (not in GFS file)	2	0	198	1




Ungrib: Vtables

What if a data source has no existing Vtable?


Create a Vtable

- Get a listing of GRIB codes for fields in the source
 - Check documentation from originating center or use utility such as *wgrib*
- Use existing Vtable as a template
- Check documentation in Chapter 3 of the Users' Guide for more information about Vtables



Ungrib: Intermediate File Format

- After extracting fields listed in Vtable, ungrib writes those fields to intermediate format
- For meteorological data sets not in GRIB format, the user may write to intermediate format directly
 - *Allows WPS to ingest new data sources*; basic programming required of user
 - Simple intermediate file format is easily read/written



Ungrib: Program Output

- Output files named *FILE:YYYY-MM-DD_HH*
 - YYYY is year of data in the file; MM is month; DD is day; HH is hour
 - All times are UTC

- Example:

FILE:2007-07-24_00

FILE:2007-07-24_12


FILE:2007-07-25_00

ungrib can also write intermediate files in the MM5 or WRF SI format! *(To allow for use of GRIB2 data with MM5, for example)*





Ungrib: Obtaining GRIB Data

- Where does one get GriB data?
 - User's responsibility
 - Some free data are available from NCAR and NCEP. See
 - <http://www.mmm.ucar.edu/wrf/users/>
- > *Download*
 - Some NCEP data in the past year
 - NCEP operational data available daily




The *metgrid* program




The *metgrid* program

- Horizontally interpolate meteorological data (*extracted by ungrib*) to simulation domains (*defined by geogrid*)
 - Masked interpolation for masked fields
- Rotate winds to WRF grid
 - i.e., rotate so that U-component is parallel to x-axis, V-component is parallel to y-axis




Metgrid: ARW Grid Staggering

- For ARW, wind U-component interpolated to “u” staggering
- Wind V-component interpolated to “v” staggering
- Other meteorological fields interpolated to “ θ ” staggering by default (*can change this!*)




A single ARW grid cell, with “u”, “v”, and “ θ ” points labeled.



Metgrid: NMM Grid Staggering

- For NMM, wind U- and V-components interpolated to “V” staggering
- Other meteorological fields interpolated to “H” staggering by default (*can change this!*)



An NMM grid showing “V”, and “H” points.




Metgrid: Interpolation Options

- 4-point bilinear
- 16-point overlapping parabolic
- 4-point average (weighted or unweighted)
- 16-point average (weighted or unweighted)
- Grid cell average
- Nearest neighbor
- Breadth-first search






Metgrid: Masked Interpolation

- *Masked fields* may only have valid data at a subset of grid points
 - Ex: SST field only valid on water points
- When metgrid interpolates masked fields, it must know which points are invalid (masked)
 - Can use separate mask field (e.g., LANDSEA)
 - Can rely on special values (e.g., 1×10^{30}) in field itself to identify masked grid points



Metgrid: Masked Interpolation




- | |
|---|
|  = valid source data |
|  = masked/invalid data |

Suppose we need to interpolate to point X


- Using **red** points as valid data can give a bad interpolated value!
- Masked interpolation only uses valid **blue** points to interpolate to X



Example: Masked Interpolation



Skin temperature field interpolated from GFS 0.5-deg field with no mask using a sixteen-point interpolator.




Skin temperature field interpolated using masks: GFS water points interpolated to model water points, GFS land points interpolated to model land points.




Metgrid: Wind Rotation


- Input wind fields (U-component + V-component) are either:
 - **Earth-relative:** U-component = westerly component; V-component = southerly component
 - **Relative to source grid:** U-component (V-component) parallel to source model x-axis (y-axis)
- WRF expects wind components to be relative to the simulation grid




Metgrid: Wind Rotation Example



A wind vector, shown in terms of its U and V components with respect to the source grid.




The same vector, in terms of its U and V components with respect to the WRF simulation grid.




Metgrid: Constant Fields

- For short simulations, some fields may be constant
 - E.g., SST or sea-ice fraction
- Use namelist option `CONSTANTS_NAME` option to specify such fields:
 - `CONSTANTS_NAME = 'SST_FILE:2007-07-24_00'`



Metgrid: Program Flexibility

- *metgrid* is capable of interpolating both isobaric and native vertical coordinate data sets
- User may specify interpolation methods and related options in the `METGRID.TBL` file
 - `METGRID.TBL` file similar in format to the file `GEOGRID.TBL`



Metgrid: Program Flexibility

- Example METGRID.TBL entry (for “soil moisture 0-10 cm”)

```
=====
name=SM000010
interp_option=sixteen_pt+four_pt+average_4pt
masked=water
interp_mask=LANDSEA(0)
fill_missing=1.
flag_in_output=FLAG_SM000010
=====
```



Metgrid: Program Output

- For coarse domain, one file per time period
 - In ARW, we also get the first time period for all nested grids
- Files contain static fields from geogrid plus interpolated meteorological fields
- Filenames:


ARW: `met_em.d0n.YYYY-MM-DD_HH.nc`

(where n is the domain ID #)



NMM: `met_nmm.d01.YYYY-MM-DD_HH.nc`



Metgrid: Example Output



WPS Summary



Questions?

