

# WRF Modeling System Overview

Jimy Dudhia

## What is WRF?

- WRF: Weather Research and Forecasting Model
  - Used for both research and operational forecasting
- It is a supported "community model", i.e. a free and shared resource with distributed development and centralized support
- Its development is led by NCAR, NOAA/ ESRL and NOAA/NCEP/EMC with partnerships at AFWA, FAA, and collaborations with universities and other government agencies in the US and overseas

# WRF as a Community Model

- Version 1.0 WRF was released December 2000
- Version 2.0: May 2004 (NMM added, EM nesting released)
- Version 2.1: August 2005 (EM becomes ARW)
- Version 2.2: December 2006 (WPS released)
- Version 3.0: April 2008 (includes global ARW version)
- Version 3.1: April 2009
  - Version 3.1.1 August 2009
- Version 3.2: just released in April 2010


## What can WRF be used for?

- ARW and NMM
  - Atmospheric physics/parameterization research
  - Case-study research
  - Real-time NWP and forecast system research
  - Data assimilation research
  - Teaching dynamics and NWP
- ARW only
  - Regional climate and seasonal time-scale research
  - Coupled-chemistry applications
  - Global simulations
  - Idealized simulations at many scales (e.g. convection, baroclinic waves, large eddy simulations)

## Who uses WRF?

- Academic atmospheric scientists (dynamics, physics, weather, climate research)
- Forecast teams at operational centers
- Applications scientists (e.g. Air Quality, Hydrology, Utilities)

#### **WRF Modeling System Flow Chart**



## Modeling System Components

- WRF Pre-processing System (WPS)
  - Real-data interpolation for NWP runs
  - New obsgrid program for adding more obs to analysis
- WRF Model (ARW and NMM dynamical cores)
  - Initialization programs for real and (for ARW) idealized data (real.exe/ideal.exe)
  - Numerical integration program (wrf.exe)
- Graphics and verification tools including MET
- WRFDA (separate tutorial)
- WRF-Chem (separate tutorial)
- WRF-Fire fire-spread model for forest fires

## WPS Functions

- Define simulation domain area (and nests)
- Produce terrain, landuse, soil type etc. on the simulation domain ("static" fields)
- De-grib GRIB files for meteorological data (u, v, T, q, surface pressure, soil data, snow data, sea-surface temperature, etc.)
- Interpolate meteorological data to WRF model grid (horizontally)
- Optionally add more observations to analysis (separate obsgrid program)

## WPS and WRF

#### Running WPS

- Several executable stages with namelist input
  - geogrid.exe (interpolate maps and time-independent fields)
  - ungrib.exe (convert time-dependent Grib-formatted data to simple binary format)
  - metgrid.exe (interpolate time-dependent initial and boundary data)
  - obsgrid.exe (optional stage to add more observations)

#### Running WRF

- Two executable stages with namelist input
  - real.exe or real\_nmm.exe (set up vertical model levels for model input and boundary files)
  - wrf.exe (run model)

# WRFDA (Data Assimilation)

- Variational data assimilation (3D-Var and 4D-Var)
- Ensemble DA
- Hybrid variational/ensemble DA

#### **Function**

- Ingest observations to improve WRF input analysis from WPS
- May be used in cycling mode for updating WRF initial conditions after WRF run
- Also used for observation impact data studies

## WRFDA

- Supported data types
  - Conventional surface and upper air, wind profiler, aircraft
  - Remote sensing data: Cloud-tracked winds, satellite-retrieved profiles, ground-based/satellite GPS, scatterometer ocean surface winds, radar radial velocity and reflectivity, satellite radiance
- Background error covariance for ARW from
  - NMC method
  - Ensemble method

## WRF-Chem

- Supported by NOAA/ESRL
- Includes chemistry species and processes, many chemistry options
- Also needs emissions data
- Included in WRF tar file, but requires special compilation option

## WRF real and ideal functions

#### REAL

- Creates initial and boundary condition files for real-data cases
- Does vertical interpolation to model levels (when using WPS)
- Does vertical dynamic (hydrostatic) balance
- Does soil vertical interpolations and land-use mask checks

### IDEAL (ARW only)

- Programs for setting up idealized case
- Simple physics and usually single sounding
- Initial conditions and dynamic balance

## WRF Model

#### WRF

- Dynamical core (ARW or NMM) is compile-time selectable
- Uses initial conditions from REAL or IDEAL
- Real-data cases use boundary conditions from REAL
- Runs the model simulation with run-time selected namelist switches (such as physics choices, timestep, length of simulation, etc.)
- Outputs history and restart files

# **ARW Dynamics**


### Key features:


- Fully compressible, non-hydrostatic (with hydrostatic option)
- Mass-based terrain following coordinate, η

$$\eta = \frac{\left(\pi - \pi_t\right)}{\mu}, \qquad \mu = \pi_s - \pi_t$$

where  $\pi$  is hydrostatic pressure,  $\mu$  is column mass

Arakawa C-grid staggering





## **ARW Model**

#### Key features:

- 3rd-order Runge-Kutta time integration scheme
- High-order advection scheme
- Scalar-conserving (positive definite option)
- Complete Coriolis, curvature and mapping terms
- Two-way and one-way nesting

# **ARW Model**


#### Key features:

- Choices of lateral boundary conditions suitable for real-data and idealized simulations
  - Specified, Periodic, Open, Symmetric, Nested
- Full physics options to represent atmospheric radiation, surface and boundary layer, and cloud and precipitation processes
- Grid-nudging and obs-nudging (FDDA)
- New Digital Filter Initialization option

## **Graphics and Verification Tools**

- ARW and NMM
  - RIP4 (Read, Interpolate and Plot)
  - WRF Post-Processor (WPP)
    - Conversion to GriB (for GrADS and GEMPAK)
  - MET (Model Evaluation Toolkit)
- ARW
  - NCAR Graphics Command Language (NCL)
  - ARWPost
    - Conversion program for GrADS and Vis5D

#### **WRF Modeling System Flow Chart**



# Basic Software Requirement

- Fortran 90/95 compiler
- C compiler
- Perl
- netCDF library
- Public domain mpich for MPI

# Portability

- Runs on Unix single, OpenMP and MPI platforms:
  - IBM SP AIX (xlf)
  - Linux (PGI, Intel, g95, gfortran, Pathscale compilers)
  - SGI Altix (Intel)
  - Cray XT (PGI, Pathscale)
  - Mac Darwin (xlf, PGI, Intel, g95 compilers)
  - Others (HP, Sun, SGI Origin, Compaq)

# User Support


- Email: wrfhelp@ucar.edu
- User Web pages:


ARW:http://www.mmm.ucar.edu/wrf/users/

NMM: <a href="http://www.dtcenter.org/wrf-nmm/users/">http://www.dtcenter.org/wrf-nmm/users/</a>

- Latest update for the modeling system
- WRF software download
- Various documentation
  - Users' Guide
  - Technical Note (ARW Description)

# ARW Hurricane Katrina Simulation (4km)





# ARW Convective-scale Forecasting (4km)

