

Advanced Features of the WRF Preprocessing System

Michael Duda



WRF Users' Tutorial, 23 - 27 January 2012

*NCAR is sponsored by the National Science Foundation

Outline

- The GEOGRID.TBL file
 - What is the GEOGRID.TBL file?
 - Ingesting new static fields
 - Examples: Using high-resolution land use and topography data
- The METGRID.TBL file
 - What is the METGRID.TBL file?
 - Example: Defining interpolation options for a new field
 - Example: Using the METGRID.TBL file for a real-time system



The GEOGRID.TBL File

- GEOGRID.TBL is the file that determines which fields are interpolated by geogrid *at runtime*
 - Each entry in GEOGRID.TBL corresponds to one data source
 - When new data sources are involved, or when the default treatment of fields is inadequate, user may want/need to edit GEOGRID.TBL
 - However, default GEOGRID.TBL is sufficient to initialize a WRF simulation



The GEOGRID.TBL File

- Format of GEOGRID.TBL file is simple text, with specifications of the form keyword=value
- Example entry for a 30" landuse data set:

name=LANDUSEF # Houston, TX urban data
 priority = 1
 dest_type = categorical
 z_dim_name = land_cat
 interp_option = 30s:nearest_neighbor
 abs_path = 30s:/users/duda/Houston/





The GEOGRID.TBL File

- Using the GEOGRID.TBL, we can
 - Change the method(s) used to interpolate a field
 - Apply smoothing filters to continuous fields
 - Derive fields from others
 - E.g., dominant category or slope fields
 - Add new data for geogrid to interpolate



New Fields in GEOGRID.TBL

There are three basic types of new data to be added through the GEOGRID.TBL file:

- 1) Completely new fields
 - fields that were previously not processed by geogrid
- 2) Different resolution data sets for an existing field
 - Such sources *do not need to be supplemented* by existing data
 - E.g., Adding a 90-meter resolution topography data set
- 3) Alternative sources for a field that *must be used in addition to an existing source*
 - E.g., A new soil category data set exists, but covers only Iberian Peninsula



1) Completely new fields





2) Different resolution data set

Different resolution data sets for an existing field :

Specify the path to the new data set and which interpolation methods should be used for the new resolution in the <u>existing entry for that field.</u>

```
name = HGT_M
priority = 1
dest_type = continuous
smooth_option = smth-desmth
interp_option = 30s:special(4.0)+four_pt
interp_option = my_res:four_pt
interp_option = default:four_pt
rel_path= 30s:topo_30s/
rel_path= my_res:new_topo_directory/
rel_path= default:topo_2m/
```



3) Alternative data sources

Alternative sources for a field that must be used in addition to an existing source :

Add a new entry for the field that has the same name as the field's existing entry, but make priority of new entry higher.



Preparing new geogrid data sets

To add a new data source, we need to

- 1) Write the data in the proper binary format
 - See Chapter 3: "Writing Static Data to the Geogrid Binary Format"
 - Can make use of read_geogrid.c and write_geogrid.c
- 2) Create an "index" metadata file for the data set
 - This tells geogrid about the projection, coverage, resolution, type, and storage representation of the data set
- 3) Add/edit entry for the data in the GEOGRID.TBL file
 - The change to GEOGRID.TBL will follow one of the three cases mentioned before



The geogrid format is a simple binary raster

- Elements of a rectangular array of data are written, row by row, to a file
- No record markers or any type of metadata are written to this file





WRF Users' Tutorial, 23 - 27 January 2012

bytes, should have size exactly N*M*K

bytes!

Since the contents of the file contain <u>only</u> the values from the array, *Fortran should <u>not</u> be used to write the array*

- Fortran adds *record markers* to the beginning and end of each record

– So, rather than $X_1X_2X_3...X_{n-1}X_n$ we get $RX_1X_2X_3...X_{n-1}X_nR$, where R is a record marker

Instead of Fortran, the C routines read_geogrid.c and write_geogrid.c may be used to read and write binary files

- these may be called from either Fortran or C



The filenames of geogrid binary files should have the form:

xxxxx-XXXXX.yyyyy-YYYYY

where

XXXXX	is the starting x-index
XXXXX	is the ending x-index
ууууу	is the starting y-index
YYYYY	is the ending y-index

E.g., For a binary file containing an array with 500 columns and 750 rows, the file name would be 00001-00500.00001-00750



- If the data are not available in a single tile (array), multiple files may be used to store the data
- All tiles must have the same x-dimension
- All tiles must have the same y-dimension
- If necessary, a tile can be "padded" with missing values to expand it to the same size as other tiles in the data set





- If the data do not cover a rectangular region, areas with no data are simply filled with a missing value so that the overall data set is rectangular
- The particular missing value used in the data set is specified in the index metadata file for the data set







- Given dataset for new Houston urban land use categories
 - Regular lat/lon projection, 30" resolution; categories 31, 32 & 33







To make use of the new data, we do the following:

1) Write the data to the binary format used by geogrid

2) Create an index file for the data

```
Data set has categories
type=categorical
                                           31 through 33
category min=31; category max=33
projection=regular 11
                                             30 arc second resolution
dx=0.00833333; dy=0.00833333
               known y=1.0
known x=1.0;
                                           Geographic location of
known lat=29.3375
known lon=-95.9958333
                                           data set
wordsize=1
tile x=157; tile y=143; tile z=1
missing value = 0.
units="category"
                                     Treat 0 as "no data"
description="3-category urban LU"
                                                       See p. 3-45
```



3) Define an entry for the data in GEOGRID.TBL





4) Run geogrid.exe

Any gridpoints covered by Houston data will use it; otherwise default USGS data will be used



Urban areas (black) using USGS 24-category data set





Example: South Korea

Shuttle Radar Topography Mission (SRTM) 3 arc second topography data

- We would like to use the SRTM data, especially for domains 2 and 3.
- Follow steps for adding a new resolution for an existing data set (case 2)





Example: Seoul

To use the SRTM topography data, we

- 1) Write data to geogrid binary format
- 2) Create an index file for the data set

3) Modify the GEOGRID.TBL entries for HGT_M, HGT_U, and HGT_V

```
name = HGT_M
priority = 1
dest_type = continuous
interp_option = 30s:special(4.0)+four_pt
interp_option = SRTM:four_pt
rel_path = 30s:topo_30s/
rel_path = SRTM:SRTM/
```

4) Specify that we should interpolate from SRTM in namelist by setting geog_data_res = '30s','SRTM+30s','SRTM+30s'



Example: Seoul



Domain 3 (DX=111m) using default 30" USGS topography

Domain 3 (DX=111m) using 3" SRTM topography



Another Example: Los Angeles

For Los Angeles, we have a 30-meter resolution, 3 urban land use category data set





Outline

- The GEOGRID.TBL file
 - What is the GEOGRID.TBL file?
 - Ingesting new static fields
 - Example: Houston urban data
- The METGRID.TBL file
 - What is the METGRID.TBL file?
 - Example: Building a METGRID.TBL entry for a new field
 - Example: Using the METGRID.TBL file for real-time runs



The METGRID.TBL File

The METGRID.TBL file controls how meteorological fields are interpolated

- Unlike GEOGRID.TBL, METGRID.TBL *does not determine which fields will be processed*, only
 how to process them if they are encountered
- Every field in intermediate files will be interpolated
 - If no entry in METGRID.TBL for a field, a default interpolation scheme (<u>nearest neighbor</u>) will be used
 - It is possible to specify in METGRID.TBL that a field should be discarded



The METGRID.TBL File

- Suitable entries in METGRID.TBL are provided for common fields
 - Thus, many users will rarely need to edit METGRID.TBL
- When necessary, different interpolation methods (and other options) can be set in METGRID.TBL
 - Interpolation options can depend on the source of a field



The METGRID.TBL File

 Example METGRID.TBL entry (for "soil moisture 0–10 cm")



- Suppose we have a 1000x1000 domain over Houston (dx=500 m)
 - This is the same domain as in the urban land use example
- Meteorological data come from 1-degree GFS
 - Note that we will be interpolating 1-degree data onto a 500-m grid!
- We want to create an entry for a new soil moisture field, SM000010



• Initially, we run metgrid.exe and get the message:

INFORM: Entry in METGRID.TBL not found for field SM000010. Default options will be used for this field!

- The resulting SM000010 field looks very coarse
- We need to create a METGRID.TBL entry so metgrid will know how to interpolate this field!





• We add an initial entry in METGRID.TBL for SM000010:





• Now, after running metgrid.exe again, the SM000010 field looks like





Which interpolator was used at each model grid point

But, the interpolated field still looks bad near the coastline



• Update the METGRID.TBL entry for SM000010

```
name = SM000010
masked = water
interp_mask = LANDSEA(0)
interp_option = sixteen_pt + four_pt + average_4pt
fill_missing = 0.
```

- If 16-pt doesn't work, then try 4-pt before reverting to a 4-point average
 - Note that 4-point average will work anywhere nearest_neighbor would (missing/masked values not counted in the average)



• The resulting field, below-left:



Interpolated SM000010 field (sixteen_pt + four_pt + average_4pt)



Which interpolator was used at each model grid point



 By using wt_average_4pt instead of average_4pt:



sixteen_pt + four_pt + average_4pt



sixteen_pt + four_pt + wt_average_4pt



METGRID.TBL: Real-time System Example

- Suppose we have a real-time system that:
 - Uses GFS for initial and boundary conditions
 - When possible (i.e., if the files are available soon enough) uses *soil moisture* and *soil temperature* fields from AGRMET
- In our system, it may occasionally happen that the AGRMET files are not ready when we want to start our WRF run
 - Because system is real-time, we want to proceed using just the GFS land surface fields!


• We already know how to run ungrib on multiple sources of data to get

GFS:YYYY-MM-DD_HH

and

```
AGRMET:YYYY-MM-DD_HH
```

intermediate files, and specify

```
fg_name = 'GFS', 'AGRMET',
```

in the <code>&metgrid</code> namelist record to use both sources

See p. 3-22



Without further changes, what happens if:

Only GFS data are available when we run metgrid

Metgrid runs and warns that no AGRMET data files were found:

```
Processing 2006-04-01_00

GFS

AGRMET

WARNING: Couldn't open file AGRMET:2006-04-01_00 for

input.
```

Metgrid will finish, but will only use GFS data!



And the 0–10 cm soil moisture field (SM000010) looks like:





WRF Users' Tutorial, 23 - 27 January 2012

However, what happens if:

Both GFS and AGRMET files are available when we run metgrid?

Our SM000010 field looks like:



We get unreasonable values with magnitude ~1E30 near land-water boundaries!



WRF Users' Tutorial, 23 - 27 January 2012

Why are there bad values near coastlines? What went wrong?

- In both Vtable.GFS and Vtable.AGRMET, the land-sea mask field is named LANDSEA
 - In METGRID.TBL, our entry for SM000010 says:

```
name=SM000010 interp_option=sixteen_pt
+four_pt+wt_average_4pt+search
masked=water
interp_mask=LANDSEA(0)
fill_missing=1.
flag_in_output=FLAG_SM000010
```



```
name=SM000010 interp_option=sixteen_pt
+four_pt+wt_average_4pt+search
masked=water
interp_mask=LANDSEA(0)
fill_missing=1.
flag_in_output=FLAG_SM000010
```

After metgrid reads in LANDSEA from GFS file *to use as an interpolation mask*, it ignored the LANDSEA field from AGRMET *for use as a mask*.

- So, metgrid used the GFS LANDSEA mask even when interpolating AGRMET data!



When metgrid interpolated SM000010, it used the GFS landmask for a field masked by the AGRMET landmask!



GFS LANDSEA field



AGRMET LANDSEA field

Note the disagreement between the two data sources near coastlines.



WRF Users' Tutorial, 23 - 27 January 2012

Solution:

- Rename LANDSEA to AGR_LAND in Vtable.AGRMET
- Rename LANDSEA to *GFS_LAND* in Vtable.GFS
- Create separate entries in METGRID.TBL one for GFS SM000010 field another for AGRMET SM000010 field





With modified Vtables and METGRID.TBL:



The SM000010 field when only GFS files are available



The SM000010 field when both GFS and AGRMET files are available



Summary

- In this lecture, we've seen
 - What the GEOGRID.TBL and METGRID.TBL files do
 - How to use new geographical data sources in the WPS
 - High-resolution land use and topography data
 - How to use the METGRID.TBL file to correct two types of interpolation-related problems
- For other features of the WPS, see Chapter 3 of the User's Guide
- For more information about using high-resolution topography data or urban land use data (over the U.S.), see http://www.mmm.ucar.edu/people/duda/files/ how_to_hires.html



Questions?



WRF Users' Tutorial, 23 – 27 January 2012