



# Running the WRF Preprocessing System

Michael Duda



The WRF Users' Basic Tutorial  
25 – 29 July 2016, Boulder, CO

\*NCAR is sponsored by the  
National Science Foundation

## Overview

- How to run through the WPS for basic cases
  - Basic steps for running the WPS
    - Geogrid
    - Ungrib
    - Metgrid
- WPS utility programs
- Common WPS mistakes



The WRF Users' Basic Tutorial  
25 – 29 July 2016, Boulder, CO

2

## Running geogrid

### STEP 1: Edit namelist.wps

For geogrid, only the **&share** and **&geogrid** namelists need to be edited in namelist.wps

#### **&share**

```
wrf_core = 'ARW',  
max_dom = 2,  
io_form_geogrid = 2,  
/  

```

#### **&geogrid**

```
parent_id      = 1,      1,  
parent_grid_ratio = 1,      3,  
i_parent_start = 1,      20,  
j_parent_start = 1,      17,  
e_we           = 220,    181,  
e_sn           = 175,    181,  
geog_data_res  = '5m',   '2m',  
dx             = 15000,  
dy             = 15000,  
map_proj       = 'lambert',  
ref_lat        = 37.0,  
ref_lon        = -97.0,  
truelat1       = 45.0,  
truelat2       = 30.0,  
stand_lon      = -97.0,  
geog_data_path = '/data/static/geog/'  
/  

```



The WRF Users' Basic Tutorial  
25 – 29 July 2016, Boulder, CO

3

## Running geogrid

### STEP 1: Edit namelist.wps

#### **&share**

```
wrf_core = 'ARW',  
max_dom = 2,  
io_form_geogrid = 2,  
/  

```

Which WRF core?

For ARW, set to 'ARW'  
For NMM, set to 'NMM'

Total number of model domains,  
including nests, for ARW.

Format for geogrid output files;  
2=netCDF is recommended.

See p. 3-8 and 3-37



The WRF Users' Basic Tutorial  
25 – 29 July 2016, Boulder, CO

4

## Running geogrid

### STEP 1: Edit namelist.wps

#### &geogrid

```
parent_id      = 1, 1,
parent_grid_ratio = 1, 3,
i_parent_start  = 1, 20,
j_parent_start  = 1, 17,
```

**Nesting:** Who is the parent? What is the grid ratio for each nest? Where is it located in its parent?

```
e_we          = 220, 181,
e_sn          = 175, 181,
dx            = 15000,
dy            = 15000,
```

**Domain sizes:** How many grid points does the domain have? What is the grid spacing?

```
geog_data_res  = '5m', '2m',
```

**Static data:** What resolution of source data to interpolate from for each domain? '30s', '2m', '5m', or '10m'?

See p. 3-9, 3-19, and 3-38



## Running geogrid

### STEP 1: Edit namelist.wps

#### &geogrid

```
...
map_proj       = 'lambert',
ref_lat        = 37.0,
ref_lon        = -97.0,
truelat1       = 45.0,
truelat2       = 30.0,
stand_lon      = -97.0,
```

**Map projection:** What projection to use? What are the parameters of the projection?

See p. 3-9 and 3-40

```
geog_data_path = '/data/static/geog/'
```

**Static data:** Where are the data directories (e.g., topo\_30s) located?

See p. 3-41



## Running geogrid

### STEP 2: Run geogrid.exe

```
Parsed 11 entries in GEOGRID.TBL
Processing domain 1 of 2
  Processing XLAT and XLONG
  Processing MAPFAC
  Processing F and E
  Processing ROTANG
  Processing LANDUSEF
  Calculating landmask from LANDUSEF
  Processing HGT_M
...
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
! Successful completion of geogrid.          !
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
```

Geogrid processes each domain individually. There will be one section of messages for each domain.

As each field is processed, a message will be written to the screen and to the geogrid.log file.



## Running geogrid

### STEP 3: Check that geogrid ran successfully

If geogrid ran successfully, this message should be printed:

```
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
! Successful completion of geogrid.          !
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
```

If there was an error, check for an **ERROR** or **WARNING** message in the `geogrid.log` file, or for a system error, like "Segmentation fault".



## Choosing Static Datasets

WPS v3.7 supports several land cover datasets, and the next release (3.8?) will support two different topography datasets

### Land use:

- USGS 24-class, 30-arc-second resolution
- USGS 24-class + inland water, 30-arc-second resolution
- MODIS 20-class, 30- and 15-arc-second resolution
- MODIS 20-class + inland water, 30-arc-second resolution
- NLCD 2011 40-class, 9-arc-second resolution

### Terrain:

- GTOPO30
- GMTED2010 (will be available in WPS v3.8)



## Choosing Static Datasets

Selection of alternate static datasets is performed using the `geog_data_res` namelist option in the `&geogrid` record

Prefix the usual `geog_data_res` selection with the name for the land use or topography dataset to be used.

E.g.,


```
geog_data_res = 'nlcd2011_9s+30s'
```

to use **NLCD 2011 9-arc-second land cover**, and 30-arc-second resolution for other static fields.



## Global Land Cover Datasets

Consider an example 1-km domain centered over Beijing:



## Identifying Inland Water Bodies

Two land cover datasets also provide a special category to identify “inland water bodies”, which can sometimes require special treatment, e.g., when initializing SST field or running the lake model in WRF.


### MODIS 30-arc-second:

- Selected using 'modis\_lakes'

### USGS 30-arc-second:

- Selected using 'usgs\_lakes'

We'll discuss the use of lake categories for initializing the SST field in the “WPS Advanced Features” talk on Thursday.



A domain over Scandinavia using MODIS 21-class land cover; lake category shown in dark blue.



## NLCD Land Use (Continental U.S. Only)

For the WRF domains over the Continental U.S., one can use high-resolution land cover from the National Land Cover Database (NLCD).

### NLCD 2011 9-arc-second:

- Selected using 'nlcd2011\_9s'


Besides high spatial resolution, the NLCD data provides four new urban categories:

1. Developed Open Space
2. Developed Low Intensity
3. Developed Medium Intensity
4. Developed High Intensity



## NLCD Land Use (Continental U.S. Only)


For the WRF domains over the Continental U.S., one can use high-resolution land cover from the National Land Cover Database (NLCD).



Above: (left) A 250-m WRF domain covering San Francisco Bay using MODIS 15-arc-second land cover data; (right) the same domain using NLCD 2011 9-arc-second data.

## GMTED2010 Terrain (coming in v3.8)

In the next release of WRF, we intend to supply a newer, more accurate terrain dataset from the USGS: GMTED2010<sup>\*</sup>.




Left: Terrain elevation difference in meters (GMTED2010 minus GTOPO30). Note that the scale does not cover the full range of the differences.



<sup>\*</sup><https://lta.cr.usgs.gov/GMTED2010>

## Running geogrid



## Running ungrib

### STEP 1: Edit namelist.wps

For ungrib, only the **&share** and **&ungrib** namelists need to be edited

#### **&share**

```
wrf_core = 'ARW',  
max_dom = 2,  
start_date = '2006-04-01_00:00:00',  
end_date = '2006-04-01_12:00:00',  
interval_seconds = 21600  
io_form_geogrid = 2,  
/
```

#### **&ungrib**

```
out_format = 'WPS',  
prefix = 'GFS',  
/
```



## Running ungrib

### STEP 1: Edit namelist.wps

#### **&share**

```
wrf_core = 'ARW',  
max_dom = 2,  
  
start_date = '2006-04-01_00:00:00',  
end_date = '2006-04-01_12:00:00',  
  
interval_seconds = 21600  
  
io_form_geogrid = 2,  
/
```

**Data time range:** Between which times should ungrib process GRIB data?

**Data frequency:** How many seconds between output files for ungrib? E.g., 10800 s = 3 hrs

See p. 3-14, and 3-38



## Running ungrib

### STEP 1: Edit namelist.wps

#### **&ungrib**

```
out_format = 'WPS',  
  
prefix = 'GFS',  
/
```

**Intermediate file format:** Which format to use for intermediate files? 'WPS', 'SI', or 'MM5' are possible; 'WPS' is recommended.

**Intermediate file names:** Gives prefix for intermediate files. Prefix can include a path. E.g., 'XYZ' would give intermediate files named XYZ:yyyy-mm-dd\_hh.

See p. 3-14, 3-23, and 3-41



## Running ungrib

### STEP 2: Link the correct Vtable to the file name "Vtable" in the run directory

- Some Vtables are provided with WPS in the **wps/ungrib/Variable\_Tables** directory
  - E.g., Vtable.GFS, Vtable.SST, Vtable.ECMWF
- Ungrib always expects to find a file named **vtable** in the run directory

See p. 3-15

```
> ln -s ungrib/Variable_Tables/Vtable.GFS vtable  
> ls vtable  
vtable -> ungrib/Variable_Tables/Vtable.GFS
```



## Running ungrib

### STEP 3: Link GRIB files to the correct file names in the run directory

- Ungrib always expects GRIB files to be named GRIBFILE.AAA, GRIBFILE.AAB, GRIBFILE.AAC, etc., in the run directory
- The link\_grib.csh script can be used to link GRIB files to these file names:

```
> link_grib.csh /data/GRIB/GFS/gfs*
> ls GRIBFILE.*
GRIBFILE.AAA -> /data/GRIB/GFS/gfs_060401_00_00
```

See p. 3-15



## Running ungrib

### STEP 4: Run ungrib.exe

```
*** Starting program ungrib.exe ***
Start_date = 2006-08-16_12:00:00 ,      End_date = 2006-08-16_12:00:00
output format is WPS
Path to intermediate files is ./
ungrib - grib edition num      2
```

```
#####
Inventory for date = 2006-08-16 12:00:00
```

| PRES   | TT | UU | VV | RH | HGT |   |
|--------|----|----|----|----|-----|---|
| 2013.0 | O  | O  | O  | O  | O   | O |
| 2001.0 | X  | X  | X  | X  | O   | X |
| 1000.0 | X  | X  | X  | X  | X   |   |
| 975.0  | X  | X  | X  | X  | X   |   |
| 950.0  | X  | X  | X  | X  | X   |   |
| 925.0  | X  | X  | X  | X  | X   |   |
| 900.0  | X  | X  | X  | X  | X   |   |



## Running ungrib

### STEP 5: Check that ungrib ran successfully

If ungrib ran successfully, this message should be printed:


```
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
! Successful completion of ungrib.           !
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
```

If there was an error, check for error message in ungrib's printout or in the `ungrib.log` file.

Common errors are related to incorrect date specifications in the `&share` namelist, or because GRIB2 data was used with a version of WPS compiled without GRIB2 libraries.



## Running ungrib



## Running metgrid

### STEP 1: Edit namelist.wps

For metgrid, only the **&share** and **&metgrid** namelists need to be edited

#### **&share**

```
wrf_core = 'ARW',  
max_dom = 2,  
start_date = '2006-04-01_00:00:00', '2006-04-01_00:00:00',  
end_date = '2006-04-01_12:00:00', '2006-04-01_00:00:00',  
interval_seconds = 21600  
io_form_geogrid = 2,
```

#### **&metgrid**

```
fg_name = 'GFS',  
constants_name = 'SST:2006-04-01_00',  
io_form_metgrid = 2,
```



## Running metgrid

### STEP 1: Edit namelist.wps

#### **&share**

```
wrf_core = 'ARW',  
max_dom = 2,
```

```
start_date = '2006-04-01_00:00:00', '2006-04-01_00:00:00',  
end_date = '2006-04-01_12:00:00', '2006-04-01_00:00:00',
```

```
interval_seconds = 21600  
io_form_geogrid = 2,
```

**Data time range:** Time range to process *for each domain*. Usually, only the initial time is needed for ARW nested domains.

See p. 3-17 and 3-37



## Running metgrid

### STEP 1: Edit namelist.wps

**Intermediate file prefixes:** Prefix (or prefixes) of intermediate files to interpolate to model domain. Should match prefix given to ungrib.

#### **&metgrid**

```
fg_name = 'GFS',  
constants_name = 'SST:2006-04-01_00',  
io_form_metgrid = 2,
```

**Constant fields:** Optional name of an intermediate file with fields to be used for every time period.

**Metgrid I/O format:** Which I/O format to use for metgrid output? 2=netCDF is recommended.

See p. 3-17, and 3-41



## Running metgrid

### STEP 2: Run metgrid.exe

```
Processing domain 1 of 2  
SST:2006-04-01_00
```

```
Processing 2006-04-01_00  
GFS  
Processing 2006-04-01_06  
GFS  
Processing 2006-04-01_12  
GFS
```

```
Processing domain 2 of 2  
SST:2006-04-01_00  
Processing 2006-04-01_00  
GFS
```

```
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!  
! Successful completion of metgrid. !  
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
```

Fields from constant files (given using `constants_name`) are processed before any time varying fields.

Metgrid processes all time period for one domain before processing for the next domain





## Running metgrid

### STEP 3: Check that metgrid ran successfully

If metgrid ran successfully, this message should be printed:


```
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!  
!  Successful completion of metgrid.  !  
!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
```

If there was an error, check for an **ERROR** or **WARNING** message in the `metgrid.log` file, or for a system error, like “Segmentation fault”.



## Running metgrid

After running metgrid,  
we should have files  
similar to these



## Overview

- How to run through the WPS for basic cases
  - Basic steps for running WPS
    - Geogrid
    - Ungrib
    - Metgrid
- WPS utility programs
- Common WPS mistakes



## WPS Utility Programs

- Besides geogrid, ungrib, and metgrid, some simple utility programs are distributed with WPS:
  - For checking contents of intermediate format files
  - For listing contents of GRIB1 & GRIB2 files
  - To assist in locating domains
  - For computing 3d pressure field for ECMWF data
- Some programs use NCAR Graphics libraries for plotting
  - For these utilities, *NCAR Graphics must be installed*

See p. 3-27






## Utility: plotgrids.ncl

The *plotgrids.ncl* script plots the locations of grids defined in *namelist.wps*

- *plotgrids* can be used to iteratively refine the locations of grids.
- *plotgrids.ncl* uses the *namelist.wps* file only, so there is no need to run *geogrid* first!



## Utility: rd\_intermediate

The *rd\_intermediate* lists information about the fields found in an intermediate-format file


```
=====
FIELD = TT
UNITS = K DESCRIPTION = Temperature
DATE = 2000-01-24_12:00:00 FCST = 0.000000
SOURCE = unknown model from NCEP GRID 212
LEVEL = 200100.000000
I,J DIMS = 185, 129
IPROJ = 1
REF_X, REF_Y = 1.000000, 1.000000
REF_LAT, REF_LON = 12.190000, -133.459000
DX, DY = 40.635250, 40.635250
TRUELAT1 = 25.000002
DATA(1,1)=295.910950
=====
```




## Utility: int2nc + plotfmt\_nc.ncl

The *int2nc* program converts an ungrib intermediate file to a standard NetCDF file

- Users may then visualize fields with *ncview*, *NCL*, or other graphical packages:



Visualize NetCDF intermediate fields using *plotfmt\_nc.ncl* script



Visualize NetCDF intermediate fields using *ncview*



## Utility: g1print and g2print

The *g1print* and *g2print* programs list the contents of a GRIB1 or GRIB2 file:

| rec num | Prod Disc | Cat num | Param code | Lvl one | Lvl two | Name | Time                | Fcst hour |
|---------|-----------|---------|------------|---------|---------|------|---------------------|-----------|
| 1       | 0         | 3       | 5          | 100     | 100000  | HGT  | 2006-08-16_12:00:00 | 00        |
| 2       | 0         | 3       | 5          | 100     | 97500   | HGT  | 2006-08-16_12:00:00 | 00        |
| 3       | 0         | 3       | 5          | 100     | 95000   | HGT  | 2006-08-16_12:00:00 | 00        |
| 4       | 0         | 3       | 5          | 100     | 92500   | HGT  | 2006-08-16_12:00:00 | 00        |
| 5       | 0         | 3       | 5          | 100     | 90000   | HGT  | 2006-08-16_12:00:00 | 00        |
| 6       | 0         | 3       | 5          | 100     | 85000   | HGT  | 2006-08-16_12:00:00 | 00        |
| 7       | 0         | 3       | 5          | 100     | 80000   | HGT  | 2006-08-16_12:00:00 | 00        |
| 8       | 0         | 3       | 5          | 100     | 75000   | HGT  | 2006-08-16_12:00:00 | 00        |
| 9       | 0         | 3       | 5          | 100     | 70000   | HGT  | 2006-08-16_12:00:00 | 00        |
| 10      | 0         | 3       | 5          | 100     | 65000   | HGT  | 2006-08-16_12:00:00 | 00        |



## Utility: calc\_ecmwf\_p

The *calc\_ecmwf\_p* utility creates intermediate files with a pressure (and possibly GHT and RH) field

FILE:2009-08-27\_00

PSFC / LOGSFP  
SOILHGT / SOILGEO  
TT  
SPECHUMD

PRES:2009-08-27\_00

PRESSURE  
RH  
GHT

calc\_ecmwf\_p.exe

ecmwf\_coeffs

|   |            |          |        |        |
|---|------------|----------|--------|--------|
| 0 | 0.000000   | 0.000000 | 0.0000 | 0.0100 |
| 1 | 2.000040   | 0.000000 | 0.0200 | 0.0299 |
| 2 | 3.980832   | 0.000000 | 0.0398 | 0.0568 |
| 3 | 7.387186   | 0.000000 | 0.0739 | 0.1015 |
| 4 | 12.908319  | 0.000000 | 0.1291 | 0.1716 |
| 5 | 21.413612  | 0.000000 | 0.2141 | 0.2768 |
| 6 | 33.952856  | 0.000000 | 0.3395 | 0.4285 |
| 7 | 51.746601  | 0.000000 | 0.5175 | 0.6396 |
| 8 | 76.167656  | 0.000000 | 0.7617 | 0.9244 |
| 9 | 108.715561 | 0.000000 | 1.0872 |        |

See p. 3-28



## Overview

- How to run through the WPS for basic cases
  - Basic steps for running WPS
    - Geogrid
    - Ungrib
    - Metgrid
- WPS utility programs
- Common WPS mistakes



## Common WPS Mistakes

- 1) All 3-d fields must have same number of levels in metgrid

```
WRF_DEBUG: Warning DIM          4 , NAME
num_metgrid_levels REDefined by var GHT          27
26 in wrf_io.F90 line          2347
ERROR: Error in ext_pkg_write_field
```

- This is usually corrected by ensuring that all 3-d meteorological fields have surface level data
- Try setting debug\_level=1000 in &share namelist, and checking metgrid.log for a table showing which fields are available at each level



## Common WPS Mistakes

- 2) When using a regional data set (e.g., NAM), ensure that model domain is completely covered by the data
  - The metgrid program will stop if the model domain has grid points that are not covered by data
- 3) For native vertical coordinate data sets (e.g., RUCb, ECMWF), ensure that both pressure and geopotential height fields are available



# Questions?

