# NESTING IN WRF

Kelly Werner July 2018



### what is a nest?

- Covers a portion of the parent domain, and is fully contained by the parent domain
- Driven along its lateral boundaries by the parent domain



 May feedback the computed values back to the parent domain

### what is a nest?

- A *finer-resolution* domain embedded in a coarser resolution domain, and run together with the coarser resolution domain
- Enables running at a higher-resolution without:
  - Uniformly high-resolution over a large domain VERY expensive
  - High resolution for a very small domain, with mismatched time and spatial lateral boundary conditions

#### When Should 1 Use Nests?

- Need to simulate localized phenomena: convection, topography, landuse-forced, etc.
  - What resolution is necessary to resolve what you are interested in?
  - Input data resolution is too coarse by more than a factor of 5-10x
  - · Would like to provide better boundary conditions for the area of interest
  - BC's for external sources are typically 3-6 hours and do not have tendencies for all predicted fields
  - · Computing resources not available for uniform coverage

### When Should 1 Use Nests?



### When Should 1 Use Nests?



# Types of Nesting

- Using a single input domain (met\_em.d01\*)
  - No met\_em.d02\* files are used
  - All fields are interpolated from the model coarse grid
  - Only recommended if nest is over the ocean
- Using multiple input domains
  - Each domain contains full input data files (including topography, landuse, etc.)
- Specified move
  - Build WRF with "2=preset moves"
  - Must specify every move
  - · Can use, but tedious to set-up
- Automatic move
  - Build WRF with "3=vortex following"
  - Only for tropical cyclone tracking
  - Expensive for single large nest

#### ndown.exe

- · Use coarser WRF model output to drive finer resolution domains (i.e. 'downscaling')
- If you have run a long coarse domain simulation (years) and later decide you want to have a nest with higher resolution.

# Types of Nesting

#### **One-way**/two-way nesting

- Determined by the namelist parameter "feedback"
  - feedback = 0 (turned off/one-way)

Lateral boundary conditions are fed to the nest, from \_\_\_\_\_ the parent.





### Masked Feedback



Single grid value feedback for categorical and masked data

#### Nests that are NOT OK



Child domains *may not* have overlapping points in the parent domain (possible if Feedback is off).



# namelíst.wps - WPS

# namelist. wps set-up: Eshare

To edit the namelist.wps file, make sure you are in the WPS/ directory



# namelist. wps set-up: Egeogrid

&geogrid parent_id = 1, 1, parent_grid_ratio = 1, 3, i_parent_start = 1, 70, j_parent_start = 1, 67,	Used for nesting purposes - What is the grid ratio for each nest? - Where is it located inside its parent? - parent_grid_ratio: integer ratio required
e_we = 175, 181, e_sn = 145, 181, geog_data_res = 'default', 'default',	<b>Domain sizes</b> : How many grid points does each domain have?
dx = 30000, dy = 30000, map_proj = 'lambert', ref_lat = 37.0, ref_lon = -97.0, truelat1 = 45.0, truelat2 = 30.0, stand_lon = -97.0, geog_data_path = '/data/static/geog/' /	

namelist. wps set-up: Egeogrid

#### &geogrid

<mark>parent_id</mark> parent_grid_ra i_parent_start j_parent_start		=	1,	1, 3, 70, 67,	
e_we e_sn geog_data_res		=	145,		,
dx dy map_proj =	= 'la = 37 = -9 = 45 = 30 = -9	= mb 7.0, 7.0 .0, 0.0, 7.0	30000 30000 ert', ,	9	

#### parent\_id: The domain # of the nest's parent

d01		
	d02 d03	
		1

 $parent_id = 1, 1, 2$ 

### namelist. wps set-up: <u>Egeogrid</u>

&geogrid	
<mark>parent_id</mark> parent_grid_ratio i_parent_start j_parent_start	= 1, 70,
e_we e_sn geog_data_res	= 175, 181, = 145, 181, = 'default', 'default',
dx dy map_proj = 'la ref_lat = 37 ref_lon = -9 truelat1 = 49 truelat2 = 30 stand_lon = -9 geog_data_path =	7.0, 97.0, 5.0, 9.0,

parent\_id:
The domain # of the nest's parent



# namelist.wpsset-up: <u>Egeogrid</u>



3

### Feedback 3:1 Ratio

When using feedback, conditions are fed back to the parent domain from the child along the rows and columns, and at the mass points (center)

U: east-west velocitiesV: south-north velocitiesΘ: all other meteorological data

Averaging is performed



### WRF Parent-nest Domain Overlap





 The nested domain can be placed anywhere within the parent domain and the nested grid cells will exactly overlap the parent cells at the coincident cell boundaries

 Coincident parent/nest grid points:
 eliminate the need for complex, generalized remapping calculations

 enhances model performance and portability.

# namelist. wps set-up: <u>Egeogrid</u>



e\_we and e\_sn: Each domain's full west-east and south-north dimensions



complex terrain - Keep nest away from coarse domain

sop noor away non ooaroo domam

27

# namelist. wps set-up: <u>Egeogrid</u>



How to determine the nest grid numbers?

- Determine the beginning and ending locations for the nest on the parent domain
- Use the following to get these numbers:

(ending index – beginning index)\*ratio+1 e.g. (127-67)\*3+1 = 181 130



### namelist. wps set-up: Egeogrid

&geogrid	
parent_id parent_grid_ra i_parent_start j_parent_start	= 1, 70,
<mark>e_we</mark> e_sn geog_data_res	= 175, 181, = 145, 181, = 'default', 'default'
dx dy map_proj = ref_lat = ref_lon = truelat1 = truelat2 = stand_lon = geog_data_pa	= 37.0, = -97.0, = 45.0, = 30.0,

Minimum distance between nest boundary and parent boundary: - 4 grid cells - need MUCH larger buffer zone



Good practice to have ~1/3 of coarse-grid surrounding each side of nest
Nest can be placed a bit downstream of the inflow boundary

### namelist.wps set-up: Egeogrid

&geogrid		
	$ = 1, 70, \\ = 1, 67, \\ = 175, 181, \\ 145, 101 $	dx On res cal the
dx dy map_proj = 'la ref_lat = 37 ref_lon = -9 truelat1 = 45 truelat2 = 30 stand_lon = -9 geog_data_path = /	7.0, 97.0, 5.0, 0.0,	

#### Ix and dy:

Only need the coarse domain resolution. The geogrid program calculates the nest resolution(s) using he "parent\_grid\_ratio"

#### \*Note:

No changes need to be made to the &ungrib and &metgrid namelists records for nesting purposes

# namelist.input (WRF)

# namelist. input set-up: <u>Stime\_control</u>

&time_control				
run_days	= 0,			
run_hours	= 24,			
run_minutes	= 0,			
run_seconds	= 0,			1
start_year	= 2012,	2012,	2012,	
start_month	= 01,	01,	01,	
start_day	= 27,	27,	27,	
start_hour	= 00,	00,	00,	
start_minute	= 00,	00,	00,	
start_second	= 00,	00,	00,	
end_year	= 2012,	2012,	2012,	
end_month	= 01,	01,	01,	
end_day	= 28,	28,	28,	
end_hour	= 00,	00,	00,	
end_minute	= 00,	00,	00,	
end_second	= 00,	00,	00, —	М
interval_seconds	= 10800			
input_from_file	= .true.,	.true.,	.true.	
history_interval	= 360,	60, 🖌	60	
frames_per_outfile	= 1000,	1,	15	
restart	= .false.			
restart_interval	= 180			
io_form_history	= 2			
io_form_restart	= 2			

\*\* To edit the namelist.input file, make sure you are in the *WRF/test/em\_real/* (or *WRF/run/*) directory

#### start/end date/times:

These values *typically* will be the same for all domains

#### history\_interval:

 May choose to have more frequent output time for nests

#### frames\_per\_outfile:

May choose to have all history outputs in a single file, or in multiple files - to display geographic boundaries in newer versions of ncview, it's necessary to have 1 file per time period.

#### 31

# namelist. input set-up: Edomains

&domains		
time_step	= 180,	max dom:
time_step_fract_num	= 0,	Activate nests - # of domains to run
time_step_fract_den	= 1,	
max_dom	= 2,	
e_we	= 175, 181, 94, ←	— e we and e sn:
e_sn	= 145, 181, 91,	should match namelist.wps values
e_vert	= 36, 36, 36, <	
p_top_requested	= 5000,	
num_metgrid_levels	= 32,	e vert:
num_metgrid_soil_levels	= 4,	All columns usually have the same
dx	= 30000, 10000, 3333.33,	value
dy	= 30000, 10000, 3333.33,	
grid_id	= 1, 2, 3,	dx/dy:
parent_id	= 0, 1, 2,	must set values for each domain.
i_parent_start	= 1, 70, 30,	make sure values correspond with
j_parent_start	= 1, 67, 30,	"parent grid ratio"
	= 1, 3, 3,	- for non-integer grid
parent_time_step_ratio		resolutions, use at least two
feedback	= 1,	decimal places
smooth_option	= 0	
/		

# namelist. input set-up: Edomains

&domains				
grid_id parent_id i_parent_start j_parent_start parent_grid_ratio	= 1, = 0, = 1, = 1, = 1,	1, 70, 67,	2, 30, 30,	All must be set to the same values used in namelist.wps
parent_time_step_ratio feedback smooth_option /	= 1, = 1 = 0	,	3,	feedback: Whether a nest will overwrite parent results - 2-way nesting: feedback = 1 - 1-way nesting: feedback = 0
	parent_	time_	step_ratio:	-

See next slide!

### Nested 3:1 Parent Time Step Ratio

Example: 3-domain nested run
D01: a single 3 min dt
D02: a single 1 min dt
D03: 20 second intervals, up to 1 min

namelist. input set-up: Sphysics

- You should use the same physics options for all domains for all schemes
  - Exceptions:
    - cumulus\_scheme (cu\_physics): may need to be turned off for a nest that has a grid distance of only a few kilometers
    - may turn off PBL scheme for resolutions close to 100 m
- Use same values for physics calling frequency parameters (for each domain)
  - radt: radiation time step
  - bldt: boundary layer time step
  - cudt: cumulus scheme time step

Computationally inexpensive – no reason to not always set to zero (run every time step)

#### Where do I start?

- Start with a namelist template provided in test/em\_real (or WRF/run/)
- Use documentation to guide your namelist modifications
  - README.namelist (found in WRF/run/)
  - examples.namelist (found in WRF/test/em\_real/)
  - Users' Guide, Chapter 5
  - http://www2.mmm.ucar.edu/wrf/users/docs/user\_guide\_v4/V4.0/users\_guide\_chap5.htm
  - Namelist Best Practice web pages:
    - WPS: <u>http://www2.mmm.ucar.edu/wrf/users/namelist\_best\_prac\_wps.html</u>
    - WRF: <u>http://www2.mmm.ucar.edu/wrf/users/namelist\_best\_prac\_wrf.html</u>
- Not all namelist options are domain dependent. If in doubt:
  - Registry.EM\_COMMON or registry.io\_boilerplate (found in WRF/Registry/) README.namelist
  - grep for parameter names look for "max\_dom"
  - Rule of thumb: If default namelist only has 1 column, don't add values for other columns!

### Successful Nested Run: WPS

- Modify namelist.wps for multiple domains (additional columns)
- Use same executables for running with a single domain
  - geogrid.exe output: geo\_em.d01.nc, geo\_em.d02.nc, etc.
  - ungrib.exe output: same as single domain not domain dependent
  - metgrid.exe output: met\_em.d01\*, met\_em.d02\*, etc.

# Successful Nested Run: WRF

- Modify namelist.input for multiple domains (additional columns)
- Link in the met\_em\* files and issue same executables for running with a single domain

#### real.exe output:

wrfbdy\_d01

Lateral boundary data for all times (domain 01 only)

#### wrfinput\_d01, wrfinput\_d02, etc.

Single time-level data at the model's start time (for each domain)
 1 file per domain

#### wrf.exe output:

#### wrfout\_d01\*, wrfout\_d02\*, etc.

- One for each domain, for each history time (depending on 'frames\_per\_outfile') wrfrst\_d01\*, wrfrst\_d02\*, etc.

- If "restart\_interval" is less than or equal to the integration time

#### Summary

- Decide the best strategy to run your simulation
- If nesting is required, design your nest configuration
  - Design the coarse domain first
  - Determine the beginning and ending indices of the nest on the coarse domain
- Choose the appropriate nesting strategy:
  - one-way, two-way, or one-way via ndown

# Questions?