


Post-Processing Tools: NCL

Abby Jaye
July 2019


This material is based upon work supported by the National Center for Atmospheric Research, which is a major facility sponsored by the National Science Foundation under Cooperative Agreement No. 1852977.

Example Plots




- NCAR Command Language
- Website: <http://www.ncl.ucar.edu>
- Reads WRF-ARW data directly
- Can generate many types of graphical plots
 - Horizontal
 - Cross-section
 - SkewT
 - Meteogram
 - Panel

Example Plots



Example Plots




NCAR UCAR | Mesoscale and Microscale Meteorology

Generating Plots


A good start: WRF Online Tutorial

http://www2.mmm.ucar.edu/wrf/OnLineTutorial/Graphics/NCL/NCL_examples.php



NCAR UCAR | Mesoscale and Microscale Meteorology

Example Plot Functions



NCAR UCAR | Mesoscale and Microscale Meteorology

NCL Download

<http://www.ncl.ucar.edu/Download>


- Fill out short registration form (short waiting period)
- Read and agree to OSI-based license
- Get version 6 or LATER (current: v6.6.2)

****Always download binary code instead of source code****

NCAR UCAR | Mesoscale and Microscale Meteorology

NCL & WRF

User Modifiable



NCAR UCAR | Mesoscale and Microscale Meteorology



Generating Plots

- Set NCARG_ROOT environment variable
`setenv NCARG_ROOT /usr/local/ncl` ← for example
- Ensure you have a `~/.hluresfile` file
- Create a script
 - `wrf_real.ncl`
(start with a sample script)
Most of the WRF script routines are called from
`"$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"`
Feel free to add or change this script
- Run NCL script
`ncl wrf_real.ncl`

NCAR UCAR | Mesoscale and Microscale Meteorology



`~/.hluresfile`

- Very important for NCL versions earlier than v6
 - http://www.ncl.ucar.edu/Document/Graphics/hlure_s.shtml
- Must be placed in your “`~/`” directory (*home directory*)
- Will control:
 - Color table; font
 - White/black background
 - Size of plot
 - Characters

NCAR UCAR | Mesoscale and Microscale Meteorology



Creating a Plot: NCL script

```
load ncl library scripts

begin

; Open input file(s)
; Open graphical output

; Read variables

; Set up plot resources & Create plots
; Output graphics

end
```

NCAR UCAR | Mesoscale and Microscale Meteorology



Creating a Plot: NCL script

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin
    ; Open input file(s)
    ; Open graphical output

    ; Read variables

    ; Set up plot resources & Create plots
    ; Output graphics

end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology

Load not required for NCL version 6.3 or later
load "/mydir/myWRFUserARW.ncl"

Creating a Plot: NCL script

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin
    a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
    ; Open graphical output
        a = addfile("./wrfout_d01_2005-10-08_00:00:00.nc","r")
        Can be "r", "w", "c"
    ; Read variables

    ; Set up plot resources & Create plots
    ; Output graphics
        > ls wrfout*
            wrfout_d01_2005-10-08_00:00:00

        a = addfile("./wrfout_d01_2005-10-08_00:00:00.nc","r")

end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology

Creating a Plot: NCL script

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin
    ; Open input file(s)
    ; Open graphical output

    ; Read variables

    ; Set up plot resources & Create plots
    ; Output graphics

end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology

NCAR
UCAR | Mesoscale and Microscale Meteorology

Creating a Plot: NCL script

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin
    a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
    wks = gsn_open_wks("X11","plt_Surface")

    ; Read variables

    ; Set up plot resources & Create plots
    ; Output graphics

end
```

Can output either on the screen (X11),
or as pdf, eps, ps, png, cgm

NCAR
UCAR | Mesoscale and Microscale Meteorology

NCAR
UCAR | Mesoscale and Microscale Meteorology

Creating a Plot: NCL script

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin

a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
wks = gsn_open_wks("X11","plt_Surface")

T2 = wrf_user_getvar(a,"T2",0)

; Set up plot resources & Create plots
; Output graphics
    T2 = wrf_user_getvar(a,"T2",0)
    T2 = a->T2(0,:,:)

    T2 = wrf_user_getvar(a,"T2",-1)
    T2 = a->T2
```

NCAR
UCAR | Mesoscale and Microscale Meteorology

Special WRF NCL Functions

wrf_user_getvar

Get fields from input file

```
ter = wrf_user_getvar(a,"HGT",0)          {ter=a->HGT(0,:,:)}
t2 = wrf_user_getvar(a,"T2",-1)           {t2=a->T2}
slp = wrf_user_getvar(a,"slp",1)
```

avo/pvo: Absolute/Potential Vorticity, **eth:** Equivalent Potential Temperature,
cape_2d: 2D mcape/mcin/lcl/lfc, **cape_3d:** 3D cape/cin,
ctt: cloud top temperature, **dbz/mdbz:** Reflectivity (3D and max),
geopt/geopotential: Geopotential, **lat/lon:** latitude/longitude
helicity/updraft_helicity: Storm Relative Helicity/Updraft helicity,
omg: Omega, **p/pres/pressure:** Pressure, **pw:** Precipitable Water, **rh/rh2:**
Relative Humidity (3D and 2m),
slp: Sea Level Pressure, **times:** Time as a string [(*Times*: Time as
characters)],
td/td2: Dew Point Temperature (3D and 2m), **ter:** terrain,
tc/tk: Temperature (C and F), **th/theta:** Potential Temperature,
tv: Virtual Temperature, **twb:** Wetbulb Temperature,
z/height: Height, **ua/va/wa:** wind on mass points,
uvmet/uvmet10: wind rotated to earth coordinates (3D and 10m)

Creating a Plot: NCL script

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin

a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
wks = gsn_open_wks("X11","plt_Surface")

T2 = wrf_user_getvar(a,"T2",0)

; Set up plot resources & Create plots
; Output graphics

end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology

Creating a Plot: NCL script

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin

a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
wks = gsn_open_wks("X11","plt_Surface")

T2 = wrf_user_getvar(a,"T2",0)

pltres = True
mpres = True
opts = True
opts@cnFillOn = True
; Output graphics

end
```

pltres: Plotting resources - like overlays
mpres: Map resources - like map resolution
and zooming option

opts: Resources associated with each
individual plot

NCAR
UCAR | Mesoscale and Microscale Meteorology

Creating a Plot: NCL script

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin

  a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
  wks = gsn_open_wks("X11","plt_Surface")

  T2 = wrf_user_getvar(a,"T2",0)

  pltres = True
  mpres = True
  opts = True
  opts@cnFillOn = True
  contour_t2 = wrf_contour(a,wks,T2,opts)
  plot= wrf_map_overlays(a,wks,(/contour_t2/),pltres,mpres)

end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology



Creating a Plot: NCL script

```
T2 = wrf_user_getvar(a,"T2",0)
slp = wrf_user_getvar(a,"slp",0)

pltres = True
mpres = True

opts = True
opts@cnFillOn = True
contour_t2 = wrf_contour(a,wks,T2,opts)
delete(opts)

opts = True
opts@cnLineColor = "Blue"
contour_slp = wrf_contour(a,wks,slp,opts)
delete(opts)

plot = wrf_map_overlays(a,wks,(/contour_t2,contour_slp/),
                        pltres,mpres)

end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology



Creating a

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"
```

```
begin
```

```
  a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
  wks = gsn_open_wks("X11",
```

```
  T2 = wrf_user_getvar(a,
```

```
  pltres = True
```

```
  mpres = True
```

```
  opts = True
```


```
  opts@cnFillOn = True
```

```
  contour_t2 = wrf_contour(a,wks,T2,opts)
```

```
  plot= wrf_map_overlays(a,wks,(/contour_t2/),pltres,mpres)
```

```
end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology



Creating a

```
T2 = wrf_user_getvar(a,"
```

```
  slp = wrf_user_getvar(a,
```

```
  pltres = True
```

```
  mpres = True
```

```
  opts = True
```

```
  opts@cnFillOn = True
```

```
  contour_t2 = wrf_contour
```

```
  delete(opts)
```

```
  opts = True
```

```
  opts@cnLineColor = "Blue"
```


```
  contour_slp = wrf_contou
```

```
  delete(opts)
```

```
  plot = wrf_map_overlays(a,wks,(/contour_t2,contour_slp/),
                           pltres,mpres)
```


```
end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology



Special WRF NCL Functions

- wrf_user_getvar
Get native and diagnostic variables
- wrf_contour / wrf_vector
Create line/shaded & vector plots
- wrf_map_overlays / wrf_overlays
Overlay plots created with wrf_contour and wrf_vector
- wrf_user_intrp3d / wrf_user_intrp2d
Interpolate horizontally to a given pressure/height (3d data only)
Interpolate vertically along a given line
- wrf_user_ll_to_ij / wrf_user_ij_to_ll
Convert: lat/lon ↔ ij
- wrf_user_unstaggerer
Unstaggerer an array
- wrf_user_vert_interp
- wrf_wps_read_int / wrf_wps_write_int



NCAR | Mesoscale and Microscale Meteorology

NCL Resources

- The special WRF functions have unique resources:
<http://www.ncl.ucar.edu/Document/Functions/wrf.shtml>
- All general NCL resources can also be used to control the plot:
<http://www.ncl.ucar.edu/Document/Graphics/Resources>

am (annotation manager)
app (app)
ca (coordinate array)
cn (contour)
ct (coordinate array table)
dc (data comm)
err (error)
gs (graphic style)
gsn (gsn high-level interfaces)
lb (label bar)
lg (legends)
mp (maps)
pm (plot manager)
pr (primitives)

sf (scalar field)
st (streamline)
tf (transformation)
ti (title)
tm (tickmark)
tf (irregular transformation)
tx (text)
vc (vectors)
vf (vector fields)
vp (view port)
wk (workstation)
ws (workspace)
xy (xy plots)

NCAR | Mesoscale and Microscale Meteorology

NCL and WRF-NCL

- Combine strength of WRF_NCL specific and NCL general capabilities

```
plot = wrf_map_overlays \
(a,wks,(/contour/),pltres,mpres)

mpres@mpGridSpacingF = 45
plot = wrf_map_overlays \
(a,wks,(/contour/),pltres,mpres)

mpres@mpGeophysicalLineColor
mpres@mpGridLineColor
mpres@mpNationalLineColor
mpres@mpUSStateLineColor

mpres@mpOutlineBoundarySets
"NoBoundaries" ; "Geophysical"
"National" ; "USStates"
"GeophysicalAndUSStates"
"AllBoundaries"
```

```
a = addfile("./wrfout.d01.nc","r")

t2 = a->T2(5,:,:)
t2 = wrf_user_getvar(a,"T2",5)

qv = a->QVAPOR(5,:,:,:)
qv = wrf_user_getvar(a,"QVAPOR",5)

t2 = a->T2
t2 = wrf_user_getvar(a,"T2",-1)

t2 = wrf_user_getvar(a,"T2",
(/0,10,2/))
t2 = wrf_user_getvar(a,"T2",
(/1,2,3,4,5/))
```

NCAR | Mesoscale and Microscale Meteorology

wrf_user_vert_interp

- Interpolate to:
 - "pressure", "pres" - pressure [hPa]
 - "ght_msl" - grid point height msl [km]
 - "ght_agl" - grid point height agl [km]
 - "theta" - potential temperature [K]
 - "theta-e" - equivalent potential temperature [K]
- Extrapolate below the ground
 - Resource - opts@extrapolate**

NCAR | Mesoscale and Microscale Meteorology

wrf_user_vert_interp

```

begin
  a = addfile("wrfout_d01_1991-01-01_00:00:00.nc","r")
  tk = wrf_user_getvar(a,"tk",0) ; Get our variable


  vert_coord = "pressure" ; Set the surface we want to interpolate to and which levels
  interp_levels = (/200,300,500,1000/)

  opts = True ; Set options for the function
  opts@extrapole = True
  opts@field_type = "t"
  opts@logP = True
  tk_interp = wrf_user_vert_interp(a,tk,vert_coord,interp_levels,opts)

  wks = gsn_open_wks("X11","plot.tk_1000mb") ; open the workstation
  opts2 = True ; Set options for the plot
  opts2@cnFillOn = True
  pltres = True
  mpres = True
  mpres@mpGeophysicalLineColor = "Black"
  ; Make the contour and plot it over a map
  contour = wrf_contour(a,wks,tk_interp(0,3,:,:),opts2) ; Plot at time 0 and level 3
  plot = wrf_map_overlays(a,wks,(/contour/),pltres,mpres)
end

```

NCAR | UCAR Mesoscale and Microscale Meteorology



```

begin
  a = addfile("wrfout_d01_1991-01-01_00:00:00.nc",
  tk = wrf_user_getvar(a,"tk",0) ; Get our variab]

  vert_coord = "pressure" ; Set the surface we war
  interp_levels = (/200,300,500,1000/)


  opts = True ; Set options for the function
  opts@extrapole = True
  opts@field_type = "t"
  opts@logP = True
  tk_interp = wrf_user_vert_interp(a,tk,vert_coor

  wks = gsn_open_wks("X11","plot.tk_1000mb") ; ope
  opts2 = True ; Set options for the plot
  opts2@cnFillOn = True
  pltres = True
  mpres = True
  mpres@mpGeophysicalLineColor = "Black"
  ; Make the contour and plot it over a map
  contour = wrf_contour(a,wks,tk_interp(0,3,:,:),c
  plot = wrf_map_overlays(a,wks,(/contour/),pltres,mpres)
end

```


NCAR | UCAR Mesoscale and Microscale Meteorology

wrf_user_ll_to_ij




NCAR | UCAR Mesoscale and Microscale Meteorology

wrf_user_ll_to_ij




NCAR | UCAR Mesoscale and Microscale Meteorology

wrf_user_ll_to_ij



NCAR | UCAR Mesoscale and Microscale Meteorology

wrf_user_ll_to_ij




NCAR | UCAR Mesoscale and Microscale Meteorology

Time Series

```
locij = wrf_user_ll_to_ij(a, -87., 32.5, llres)
locij = locij - 1
locX = locij(0)
locY = locij(1)

t2_point = a->T2(:,locY,locX)
t2_plot = gsn_csm_xy(wks,taus,t2_point,t2_res)

slp      = wrf_user_getvar(a,"slp",-1)
slp_point = slp(:,locY,locX)
slp_plot = gsn_csm_xy(wks,taus,slp_point,t2_res)
```




NCAR | UCAR Mesoscale and Microscale Meteorology

Domain Design


```
mp = wrf_wps_dom (wks, mpres, lnres, txres)
WPS/util/plotgrids.ncl
```

Test Domain




NCAR | UCAR Mesoscale and Microscale Meteorology

Overlay Domains




NCAR
UCAR | Mesoscale and Microscale Meteorology

Moving Nests



NCAR
UCAR | Mesoscale and Microscale Meteorology

Moving Nests



NCAR
UCAR | Mesoscale and Microscale Meteorology

Change Fields in a netCDF File

```
begin


  DATADir = "./"
  FILES = systemfunc (" ls -1 " + DATADir + "met_em.d01* ")
  numFILES = dimsizes(FILES)

  do i=0,numFILES-1
    a = addfile(FILES(i),"w")
    sst = a->SST      ; read the field
    sst = sst + 1      ; change the entire field
    a->SST = sst      ; write the field back to the file
  end do


end
```

NCAR
UCAR | Mesoscale and Microscale Meteorology

Change Fields in a netCDF File




```
a = addfile("./geo_em.d01.nc","w")
var= a->LANDUSE
var(:,63:64,83:84) = 7
var(:,62,84) = 7
a->LANDUSE = var
```



NCAR
UCAR | Mesoscale and Microscale Meteorology

Data Manipulation in NCL



NCAR
UCAR | Mesoscale and Microscale Meteorology

Data Manipulation in NCL

```
begin

out = addfile("t2_dailymax_1993-08-20.nc","c") ; Create new netCDF file
filedimdef(out,"Time",-1,True) ; Make Time unlimited

a = addfile("wrfout_d01_1993-08-20_00:00:00.nc","r") ; File has 24 time steps
fileattdef(out,a) ; Transfer attributes to new file
t = a->T2-273.15
landmask = a->LANDMASK(0,:,:)
lat = a->XLAT(0,:,:)
lon = a->XLONG(0,:,:)
times = a->Times(0,:9)

tland = mask(t,landmask,1) ; Mask out the ocean

tmax = dim_max_n(t,0) ; Daily max
tlandmax = dim_max_n(tland,0) ; Daily max with ocean masked out

; Write attributes for the variable
tlandmaxday@0 = "Time"
tlandmaxday@1 = "south_north"
tlandmaxday@2 = "west_east"
tlandmaxday@units = "C"
tlandmaxday@coordinates = "XLONG XLAT"
tlandmaxday@description = "DAILY MAX TEMP at 2 M (masked)"

; Write out data
out->XLAT = lat
out->XLONG = lon
out->LANDMASK = landmask
out->T2MAX = tlandmaxday
```

NCAR
UCAR | Mesoscale and Microscale Meteorology

Reading ASCII Data

```
begin
  fname = "/mydir/ascii.txt"
  foo = asciread(fname,(/21,6/),"integer")
end
```

Variable: foo
Dimensions and sizes:
[Data|21] x [Columns|6]

(0, 0)	1950
(0, 1)	13
(0, 2)	11
(0, 3)	3
(0, 4)	8
(0, 5)	3
(1, 0)	1951
(1, 1)	10

/mydir/ascii.txt

1950	13	11	3	8	3
1951	10	8	3	5	2
1952	7	6	3	3	1
1953	14	6	2	4	1
1954	11	8	6	2	1
1955	12	9	3	6	2
1956	8	4	2	2	1
1957	8	3	1	2	2
1958	10	7	2	5	3
1959	11	7	5	2	1
1960	7	4	2	2	2
1961	11	8	1	7	4
1962	5	3	2	1	0
1963	9	7	5	2	1
1964	12	6	0	6	4
1965	5	4	3	1	1
1966	11	7	4	3	1
1967	8	6	5	1	1
1968	8	5	5	0	0
1969	18	12	7	5	1
1970	10	5	3	2	0

NCAR
UCAR | Mesoscale and Microscale Meteorology

Reading ASCII Data: Trajectory

```

begin

flnm = "track-1995_0723-0812-380.txt"
n_col = numAsciiCol(flnm)

n_var = n_col
cnLevels = ispan(7, 21, 1)

wks = gsn_open_wks("x11", "traj")
gsn_define_colormap (wks, "GMT_panoply")
cmap = gsn_retrieve_colormap(wks)

res = True ; mapping resources
res@mpLimitMode = "LatLon"
res@mpMaxLatF = 60
res@mpMinLatF = 0
res@mpMinLonF = -110
res@mpMaxLonF = 0
res@mpCenterLonF = -65

pres = True ; polyline resources
pres@gsLineThicknessF = 6.0 ; line thickness


mres = True ; marker resources
first = True
first@gsMarkerSizeF = 9.0
first@gsMarkerColor = "red"

NCAR | UCAR | Mesoscale and Microscale Meteorology

```

	19950804	12	31.2	265.6	1013.0	16.3	11.2	9.0	32.8	3.9	-4.2	4.6
19950804	08	31.7	264.9	1013.9	17.2	13.6	10.5	27.8	5.7	-2.6	5.5	
19950805	00	32.1	264.4	1011.5	19.7	12.5	11.0	37.5	3.9	2.0	4.9	
19950805	06	32.5	263.7	1012.7	16.3	10.5	8.9	36.5	4.9	-1.2	3.7	
19950805	12	33.6	263.1	1013.7	13.7	7.7	7.0	27.9	5.3	-2.9	3.5	
19950805	18	34.1	262.6	1013.2	14.2	10.0	9.2	28.4	5.8	-2.2	5.2	
19950806	00	34.5	262.1	1013.6	17.0	10.8	9.8	28.8	4.4	-1.6	4.7	
19950806	06	35.2	262.5	1013.6	16.1	7.3	6.5	38.5	4.5	1.6	3.1	
19950806	12	35.6	261.7	1015.3	11.8	6.6	5.9	21.1	4.9	-6.2	2.9	
19950806	18	36.3	261.6	1015.5	11.7	8.4	7.9	31.1	4.9	-6.8	4.7	
19950807	00	36.6	262.0	1013.9	13.2	10.3	7.5	34.2	4.7	-5.5	4.2	
19950807	06	36.9	262.5	1015.2	13.2	5.4	3.6	23.1	3.9	-1.9	3.5	
19950807	12	38.3	261.4	1016.6	10.3	7.4	3.0	23.0	3.9	-1.9	2.8	
19950807	18	38.8	261.8	1016.1	10.0	7.8	7.5	24.5	3.4	-4.3	4.2	
19950808	00	39.3	262.8	1014.1	11.8	9.4	7.3	21.2	3.4	-3.3	4.4	
19950808	06	41.8	259.9	1014.9	21.1	8.8	8.0	1.9	3.0	5.6	2.8	
19950808	12	47.2	259.8	1008.7	17.3	9.1	8.4	20.0	6.1	-11.7	-1.6	
19950808	18	50.0	260.0	1007.9	17.1	10.9	10.9	7.7	1.1	-1.4	-1.7	
19950809	00	50.3	262.9	1007.2	19.3	12.9	11.1	6.4	5.3	-14.4	-1.4	
19950809	06	50.8	263.6	1006.9	18.9	10.7	9.8	16.7	5.6	-15.7	-0.8	
19950809	12	53.1	266.8	1006.6	17.4	6.5	5.9	5.1	4.7	-17.8	-0.8	
19950809	18	53.7	269.5	1003.1	17.9	8.3	8.3	9.5	5.2	-17.7	-0.6	
19950810	00	54.9	272.7	999.4	18.3	12.0	9.5	13.3	4.9	-12.4	-0.8	
19950810	06	55.2	273.0	999.4	17.8	11.4	13.0	3.1	3.9	-1.7	-0.7	
19950810	12	57.8	282.4	997.3	19.0	21.9	11.1	18.7	1.8	-16.0	0.2	
19950810	18	57.2	289.7	994.3	25.6	16.8	15.8	34.7	4.1	-20.6	1.7	
19950811	00	56.0	296.9	996.1	30.9	14.6	12.1	41.5	3.9	-19.7	2.8	
19950811	06	53.8	303.5	997.1	30.8	16.0	14.3	47.2	6.2	-17.0	1.2	

Reading ASCII Data: Trajectory



```

do j = 0, n_pt - 2
    ; assign a color based upon an input scalar variable
    pres@gsLineColor = GetFillColor(cnLevels,cmap,avg((/var(j),var(j+1)/)))
    gsn_polyline(wks,map,(/lon(j),lon(j+1)/),(/lat(j),lat(j+1)/),pres)
end do
gsn_polymarker(wks,map,lon(0),lat(0),first) ; draw start of trajectory

draw(map)
end

```

NCAR | UCAR | Mesoscale and Microscale Meteorology

Writing ASCII Data

```

t2_point = a->T2(:,locY,locX)
q2_point = a->Q2(:,locY,locX)

asciwrite ("t2.txt" , t2_point)
asciwrite ("q2.txt" , sprintf("%9.3f", q2_point))

npts = dimsizes(t2_point)
data = new( npts, "string" )
do npt=0,npts-1
    data(npt) = sprintf("%7.1f ", t2_point(npt))
    data(npt) = data(npt) + sprintf("%7.1f ", q2_point(npt))
end do
asciwrite ("t2_q2.txt", data)

data2 = new((/npts,2/),"float")
data2(:,0) = t2_point
data2(:,1) = q2_point
write_matrix(data2,"2f7.3",True)

```

write_matrix

NCAR | UCAR | Mesoscale and Microscale Meteorology

Shapefiles and WRF

- A geospatial vector data format for GIS systems software
- We can use it to mask data to specific regional or state borders, rather than drawing a box over an area
- Shapefiles can have three different types of data:
 - Point (locations of cities or places of interest, population data, election data)
 - Polyline (non-closed boundaries like rivers and roads)
 - Polygon (closed geographic boundaries like countries, states, provinces, territories, and lakes)
 - Only one data type per shapefile!

NCAR | UCAR | Mesoscale and Microscale Meteorology

Shapefiles and WRF

```

shp_filename = "cb_2014_us_state_20m.shp"
f = addfile(shp_filename, "r")
print(f)      ; print shapefile metadata

id = f->NAME ; we know we want the states,
               ; so read and print the metadata
               ; info for regions
print(id)

```

Variable: id
 Type: string
 Total Size: 416 bytes
 Number of dimensions: 1
 Dimensions and sizes: [num_features | 52]
 Coordinates:
 Number of attributes: 0
 (0) California
 (1) District of Columbia
 (2) Florida
 (3) Georgia
 (4) Idaho
 (5) Illinois
 (6) Iowa
 (7) Kentucky
 (8) Louisiana
 (9) Maryland
 (10) Michigan
 (11) Minnesota
 (12) Missouri
 (13) New York
 (14) Oregon
 (15) Tennessee
 (16) Texas
 (17) Virginia
 (18) Wisconsin
 (19) Alaska
 (20) Arizona
 (21) Arkansas
 (22) Colorado
 (23) Indiana
 (24) Connecticut
 (25) Hawaii
 (26) Nebraska
 (27) New Mexico
 (28) North Carolina
 (29) Ohio
 (30) Rhode Island
 (31) Massachusetts
 (32) Mississippi
 (33) Montana
 (34) Oklahoma
 (35) South Carolina
 (36) South Dakota
 (37) Utah
 (38) Washington
 (39) West Virginia
 (40) Wyoming
 (41) Delaware
 (42) Rhode Island
 (43) Alabama
 (44) North Dakota
 (45) Nebraska
 (46) Vermont
 (47) Puerto Rico
 (48) Kansas
 (49) Nevada
 (50) New Hampshire
 (51) New Jersey

NCAR | UCAR




Shapefiles and WRF

```

a = addfile("wrfout_d01_2000-07-17_00:00:00.nc","r")
wks = gsn_open_wks("X11","OK_TX")
var = a->T2(0,:,:)
var@lat2d = a->XLAT(0,:,:)
var@lon2d = a->XLONG(0,:,:)
shp_filename = "cb_2014_us_state_20m.shp"
opt = True
opt@shape_var = "NAME" ; We know the variable name
opt@shape_names = (/"Oklahoma","Texas"/) ; The states we want to mask
var_mask = shapefile_mask_data(var,shp_filename,opt)
pltres = True
pltres@PanelPlot = True ; We need a panel plot to plot more than one state
mpres = True
mpres@Zoomin = True ; We want to zoom on on our area of interest
mpres@Xstart = 150 ; Grid points of the zoomed in area
mpres@Ystart = 135
mpres@Xend = 200
mpres@Yend = 185
var_mask_zoom = var_mask(y_start:y_end,x_start:x_end) ; Zoomed in variable
; Make contours, draw them on a map, then draw the outline of the polygons
opts = True
opts@cnFillOn = True
contour_mask = wrf_contour(a,wks,var_mask,opts)
plot_mask = wrf_map_overlays(a,wks,contour_mask,pltres,mpres)
id_mask = gsn_add_shapefile_polylines(wks,plot_mask,shp_filename,True)
draw(plot_mask)
frame(wks)

```

NCAR | Mesoscale and Microscale Meteorology



Shapefiles and WRF

```

a = addfile("wrfout_d01_2000-07-17_00:00:00.nc","r")
wks = gsn_open_wks("X11","OK_TX")
var = a->T2(0,:,:)
var@lat2d = a->XLAT(0,:,:)
var@lon2d = a->XLONG(0,:,:)
shp_filename = "cb_2014_us_state_20m.shp" ; Shapefile from internet
opt = True
opt@shape_var = "NAME" ; We know the variable name
opt@shape_names = (/"Oklahoma","Texas"/) ; The states we want to mask
var_mask = shapefile_mask_data(var,shp_filename,opt) ; Mask the data
pltres = True
pltres@PanelPlot = True ; We need a panel plot to plot more than one state
mpres = True
mpres@Zoomin = True ; We want to zoom on on our area of interest
mpres@Xstart = 150 ; Grid points of the zoomed in area
mpres@Ystart = 135
mpres@Xend = 200
mpres@Yend = 185
var_mask_zoom = var_mask(y_start:y_end,x_start:x_end) ; Zoomed in variable
; Make contours, draw them on a map, then draw the outline of the polygons
opts = True
opts@cnFillOn = True
contour_mask = wrf_contour(a,wks,var_mask,opts)
plot_mask = wrf_map_overlays(a,wks,contour_mask,pltres,mpres)
id_mask = gsn_add_shapefile_polylines(wks,plot_mask,shp_filename,True)
draw(plot_mask)
frame(wks)

```

NCAR | Mesoscale and Microscale Meteorology



Georeferenced Graphics

NCAR | Mesoscale and Microscale Meteorology



```

load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"

begin
  a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
  wks = gsn_open_wks("X11","plt_Surface")

  T2 = wrf_user_getvar(a,"T2",-1)
  times = wrf_user_getvar(a,"times",-1)
  ntimes = dimsizes(times)

  mpres = True
  pltres = True

  do it=0,ntimes-1
    opts = True
    opts@cnFillOn = True
    contour_t2 = wrf_contour(a,wks,T2(it,:,:),opts)
    plot = wrf_map_overlays(a,wks,(/contour_t2/),pltres,mpres)

  end do

end

```

NCAR | UCAR Mesoscale and Microscale Meteorology



```

load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"
load "$VAPOR_HOME/share/examples/NCL/wrf2geotiff.ncl"

begin
  a = addfile("./wrfout_d01_2012-09-28_00:00:00.nc","r")
  wks = gsn_open_wks("ps","plt_Surface")
  wrf2gtiff = wrf2geotiff_open(wks)

  T2 = wrf_user_getvar(a,"T2",-1)
  times = wrf_user_getvar(a,"times",-1)
  ntimes = dimsizes(times)

  mpres = True
  pltres = True
  pltres@gsnFrame = False

  do it=0,ntimes-1
    opts = True
    opts@cnFillOn = True
    contour_t2 = wrf_contour(a,wks,T2(it,:,:),opts)
    plot = wrf_map_overlays(a,wks,(/contour_t2/),pltres,mpres)
    wrf2geotiff_write(wrf2gtiff,a,times(it), wks, plot, False)
    frame(wks)
  end do

  wrf2geotiff_close(wrf2gtiff, wks)
end

```

NCAR | UCAR Mesoscale and Microscale Meteorology



Linking NCL to Fortran/C Code

- Link Fortran/C code to NCL scripts
 - Create a library from your Fortran/C code
 - Link to NCL script
- Link low-level NCL (NCAR Graphics) to Fortran code
 - Add calls to code inside Fortran code
 - Compile Fortran code with NCL libraries
 - Example: WPS/utils/plotfmt.exe
 - *Older way of creating plots – not recommended*

NCAR | UCAR Mesoscale and Microscale Meteorology



Linking NCL to Fortran/C Code

- Easier to use F77 code, but works with F90 code
- Need to isolate definition of input variables and wrap them with special comment statements:


```

C  NCLFORTSTART
C  NCLEND
      
```
- Use a tool called **WRAPIT** to create a ***.so** file
 - > WRAPIT myTK.f
- Load the ***.so** file into the NCL script with “**external**” statement
- Call Fortran function with special “**::**” syntax
- You must pre-allocate for arrays!

NCAR | UCAR Mesoscale and Microscale Meteorology



Linking NCL to Fortran/C Code: myTK.f

```
C NCLFORTSTART
  subroutine compute_tk (tk,pressure,theta, nx, ny, nz)
    implicit none
    integer nx,ny,nz
    real pi, tk(nx,ny,nz)
    real pressure(nx,ny,nz), theta(nx,ny,nz)

C NCLEND
    integer i,j,k

    do k=1,nz
      do j=1,ny
        do i=1,nx
          pi=(pressure(i,j,k) / 1000.)**(287./1004.)
          tk(i,j,k) = pi*theta(i,j,k)
        enddo
      enddo
    enddo

  end
```

NCAR | Mesoscale and Microscale Meteorology



Fortran 90 Code

- Can use simple FORTRAN 90 code
- Your FORTRAN 90 program may not contain any of the following features:
 - pointers or structures as arguments,
 - missing/optional arguments,
 - keyword arguments, or
 - recursive procedure.

NCAR | Mesoscale and Microscale Meteorology



myTK.so – Create & user in NCL Script

```
% WRAPIT myTK.f
```

This will create a "myTK.so" file

```
load "$NCARG_ROOT/lib/ncarg/nclscripts/csm/gsn_code.ncl"
load "$NCARG_ROOT/lib/ncarg/nclscripts/wrf/WRFUserARW.ncl"
external myTK "./myTK.so"

begin
  t = wrf_user_getvar(a,"T",5)
  t = t + 300
  p = wrf_user_getvar(a,"pressure",5)

  ; Must preallocate space for output arrays
  dim = dimsizes(t)
  tk = new( dimsizes(t), typeof(t) )

  ; Remember, Fortran/NCL arrays are ordered differently
  myTK :: compute_tk (tk,p,t,dim(2),dim(1),dim(0))
end
```

NCAR | Mesoscale and Microscale Meteorology



Compiling with NCL

```
In function `write_png':
```

```
undefined reference to `png_create_write_struct'
undefined reference to `png_create_info_struct'
undefined reference to `png_destroy_write_struct'
undefined reference to `png_destroy_write_struct'
```

```
-L<path_to_png_lib> -lpng -L<path_to_z_lib> -lz
```

```
/usr/local/ncl/lib/libncarg.a(agcurv.o): In function `agcurv':
agcurv.f:(.text+0x69): undefined reference to `_gfortran_copy_string'
/usr/local/ncl/lib/libncarg.a(aggtch.o): In function `aggtch':
aggtch.f:(.text+0x3e): undefined reference to `_gfortran_copy_string'
aggtch.f:(.text+0x7b): undefined reference to `_gfortran_copy_string'
```

```
-L<path_to_gfortran_lib> -lgfortran
```

NCAR | Mesoscale and Microscale Meteorology



WRF-Python

- A collection of diagnostic and interpolation routines for use with WRF-ARW
- Functionality is very similar to what is provided by the WRF NCL functions
- When coupled with either matplotlib or PyNGL you can create plots very similar to what you make with NCL

<https://github.com/NCAR/wrf-python>



WRF/NCL Support

- Use the WRF & MPAS-A Support Forum
 - Use for all questions about using NCL with WRF
 - There is a NCL section in the Post-processing/Utilities folder

<http://forum.mmm.ucar.edu/phpBB3/index.php>

- For generic NCL questions use:
 - ncl-talk@ucar.edu

